



Lake Killarney Board Regular Meeting

Agenda

November 1, 2023 @ 10:00 AM

City Hall Commission Chambers
401 S. Park Avenue

welcome

Agendas and all backup material supporting each agenda item are accessible via the city's website at cityofwinterpark.org/meetings/ and include virtual meeting instructions.

assistance & appeals

Persons with disabilities needing assistance to participate in any of these proceedings should contact the City Clerk's Office ([407-599-3277](tel:407-599-3277)) at least 48 hours in advance of the meeting.

"If a person decides to appeal any decision made by the Board with respect to any matter considered at this hearing, a record of the proceedings is needed to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." (F.S. 286.0105).

please note

Times are projected and subject to change.

1. Call to Order**2. Consent Agenda**

- a. Approve the minutes of the regular meeting October 4, 2023. 1 minute

3. Public Comments (for items not on the agenda): Three minutes allowed for each speaker**4. Public Hearings (Public participation and comment on these matters must be in person.)****5. Action Items****6. Non-Action Items****7. Staff Updates**

- a. Lakes Management 10 Minutes

1. Water Quality Update
2. At-Risk Vessel
3. Sediment Removal Update for Natural Resources Conservation Services (NRCS)
4. Telemetry Stations Update
5. Maintenance and Efforts
6. Tax information added to the variance packet
7. FWC Program - Alligators

- b. Stormwater Management 10 Minutes

1. CIP Update
2. Infrastructure Projects: Nicolet Pond, Killarney Dr. Pipe Replacement, & Lake Bell Weir
3. Lake Front Construction Update
4. Library and Events Center As-Builts

Follow-up Items:

1. BMP Feasibility Study
2. Outfall Condition Update

- c. Orange County Update 10 Minutes

8. Board Comments

- | | |
|---|-----------|
| a. Discussion of Public Comments Received | 2 Minutes |
|---|-----------|

9. Upcoming Agenda Items

- | | |
|------------------------------------|-----------|
| a. Upcoming Agenda Items | 5 Minutes |
| b. Summary of Meeting Action Items | 5 Minutes |

10. Adjournment



Lake Killarney Board

agenda item

item type

Consent Agenda

meeting date

November 1, 2023

prepared by

Tatia Ghviniashvili, Board Coordinator

approved by**subject**

Approve the minutes of the regular meeting October 4, 2023.

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

1. Draft_Minutes



Lake Killarney Board Regular Meeting Minutes

October 4, 2023 at 10:00 AM

City Hall Commission Chambers
401 S. Park Avenue

Present

Jeanne Wall, William Voecks, David Dickerson, Carolyn Minear, Joyce Cunningham, Jason Ellison, and Ellen Hencken.

Staff Present

Director of Natural Resources & Sustainability Gloria Eby; Director of Public Works & Transportation Charles Ramdatt; Public Works Engineer Shannon Monahan; Lakes Division Manager Joseph Cordell; Natural Resources & Sustainability Administrative Coordinator Victoria Tabor; Virtually: Board Coordinator Tatia Ghviniashvili.

1. Call to Order

The meeting was called to order at 10:01 a.m.

2. Consent Agenda

- a. Approve the minutes of the regular meeting August 23, 2023.

In the last sentence of the first paragraph, under 'consent agenda', add clarification to read as, "including lily pad survey, and trash signs requested at commercial properties". In the first paragraph of page three, include more detail about the nature of Mr. Necrason's comment, highlighting that lack of rain has contributed to the low lake levels. Also include that there was a discussion about septic failure and home flooding. In the paragraph following, note that Commissioner Todd Weaver asked residents to be patient and trust staff, while stressing his concern about future flooding. At the bottom of page two, change 'exasperated' to 'exacerbated'.

Motion by William Voecks to approve the minutes as amended; seconded by Carolyn Minear. Motion carried unanimously with a 7-0 vote.

3. Public Comments (for items not on the agenda): Three minutes allowed for each speaker

There were none.

4. Public Hearings (Public participation and comment on these matters must be in person.)

a. Boathouse/Dock Application (BLDR-2023-0720) 2054 Lake Dr.

Staff provided background information for the application, noting that it is for a new boathouse and dock. Parameters, photographs of the area, and plans were presented, along with a letter of no objection. Staff highlighted that the proposed structure is within city parameter requirements and the recommendation is to approve the application. The floor opened for discussion and the board asked clarifying questions about the application, specific to restrictions on the size of the dock.

Mark Humeniuk, 2448 Lake Dr., spoke about the tension between himself and the applicant, and highlighted his opposition to a structure of this size being built in the cove. Mr. Hueniuk noted further concern about the damage to the shoreline if the application was to be approved, and has asked the board to consider asking the applicant to redesign or make modifications to the proposed structure.

An at-length discussion ensued, with the board speaking about the comments made by Mr. Humeniuk, and determining the most suitable way to move forward. Staff noted that the recommendation is for approval but with a restriction on size. The discussion continued about ways in which the build can be positioned to fit city code and address concerns made by Mr. Humeniuk.

Motion made by Jeanne Wall to ask the applicant to consider bringing the boathouse parallel to the shoreline, while protecting the natural cypress, along with considering reducing the size of the structure and requesting a platform be added on the right side of the boathouse; seconded by William Voecks.

The board held a further discussion about the application, and Ms. Wall requested that when the applicant reapplies, they are to include an aerial view that is marked to indicate how far out into the cove the requested structure is being proposed to extend. Staff will also include details about the height of the boathouse.

Motion carried unanimously with a 7-0 vote.

A brief discussion followed about how staff can confirm that boathouses and docks are actually built to follow code after the application has been approved. The board noted that it would be helpful for application approvals, if there was a criterion that spoke to unique locations on the lake, such as the cove.

Motion made by Jeanne Wall, to include on the next agenda, a review of the shape of Lake Killarney, including the cove, and how the current code would

function.

Staff explained how to correctly approach this topic, and noted the board would simply vote for an addition to the section of the current city code as it relates to the Lake Killarney cove.

Motion seconded by Carolyn Minear. Motion carried unanimously with a 7-0 vote.

- b. Boathouse/Dock Application (BLDR-2023-0822) 455 Lakefront Blvd.

Staff provided background information for the application, noting that it is for a new boathouse and dock that will be replacing existing structures. Parameters, photographs of the area, and plans were presented. Staff recommendation is to approve with the requirement of revegetation.

Sheila Cichra, Streamline Permitting, spoke on behalf of the property owner, and explained the reason behind choosing to make the height of the deck lower than the maximum allowed.

Motion made by William Voecks to approve the application as submitted; seconded by Jason Ellison. Motion carried unanimously with a 7-0 vote.

5. Action Items

- a. Flood Management Guide

Staff noted that as a result, and response, from the last meeting, a modified Flood Management Guide was presented with minor edits to the original document, which incorporated the intentions of the board and the community outcry related to lake level alterations. The main change was centered around intermittent risers. Ms. Wall requested that moving forward, if any changes are to be made to this document, the staff member responsible is to sign and date the revision. She also noted contradictions between the timing related to the removal of weir boards, indicating two varied directions. Staff clarified that the information in question had been reviewed, discussed and approved by the board previously.

Conrad Necrason, Chairperson of the Orange County Lake Killarney Board, spoke about the lake level and an at-length discussion ensued with the board and staff. Despite Ms. Wall being previously adamant about having the board be fully involved in drafting a policy to adjust lake levels, she noted that the decisions to adjust lake levels should be given back to the discretion of staff. A discussion followed and staff highlighted that moving forward the board should make a recommendation about whether a document is a policy or guide, and the City Commission will act on that and decide what discretion staff should have.

Motion made by Jeanne Wall to report to the City Commission that the Lake Killarney Board made an attempt to draft a guide. However, after realizing the document needed to be adaptable, the decision to adjust the lake level was handed back to staff.

Motion failed due to lack of second.

A new motion was made by Carolyn Minear to approve the interim Flood Management Guide pending the findings of the West Basin Study, and will stand as a collaborative guideline that empowers staff for adaptive lake management; seconded by David Dickerson. Motion carried unanimously with a 7-0 vote.

- b. Library and Event Center- Questions/Recommendations from Board on as-builts received 8/24

Motion made by Jeanne Wall to request from staff the addition of missing information found in the as-built document, request that the as-builts are clarified to show where MLK Jr. pond interconnects with Lake Killarney, and request to have these as-builts provided to St. Johns Water Management District.

Mr. Ramdatt made clarifications related to the involvement of St. Johns Water Management District in relation to the as-builts, and noted that if any board members have comments/questions/concerns, he would meet with them outside of the board meeting to discuss.

Motion failed for lack of second.

A new motion was made by Jeanne Wall to recommend to the City Commission that the MLK Jr. pond not be altered until the West Basin Study has been completed and brought before this board for consideration; seconded by William Voecks. Motion carried unanimously with a 7-0 vote.

Mr. Ramdatt clarified that although staff might discuss aspirational projects and brainstorm, nothing will be set into place until the West Basin study has been completed. Staff will bring back a map with modifications added as part of stormwater updates.

6. Non-Action Items

- a. Private Lift station Updates- David Zusi Dir of Water and Waste Water

David Zusi, Water & Wastewater Utility Director, provided brief infrastructure updates

related to private lift stations. He noted that staff is in the process of putting together the forms and staff functions in place to manage the new ordinance related to the lift stations.

7. Staff Updates

a. Lakes Management

Water quality updates for May have been included in the agenda packet and staff noted that the nutrients in the cove continues to fall, which is a positive sign. Data suggests that everything is below impairment and clarity continues to increase. Staff compared variance forms to those of Orange County and Ms. Wall requested that a copy of the adjacent neighbors tax form be included within the variance packet to prove ownership of the property. Staging has begun for sediment removal on Beachview Ave. for the Natural Resources Conservation Service (NRCS) grant funding.

The computer of the telemetry stations has been received, and staff is waiting for the sensors to arrive before installation can begin- the board will be updated at the next meeting. The lake level graph for the hurricane season is included for board review. 70 gallons of debris and 65 gallons of trash have been removed. Hydrilla and floating vegetation treatments have been conducted. Ms. Wall asked for staff to inspect a vessel in the lake that tipped over and seemed to be leaking oil. Staff noted that the police department had been contacted and Mr. Cordell will also get in contact with code enforcement.

b. Stormwater Management

Staff is working to schedule a pre-application meeting with St. Johns Water Management District regarding Nicolet pond. The Killarney Dr. pipe replacement project is currently in its design phase, and once the final design is created, staff will share it with the board for review. A kickoff meeting will be held with the contractor for the Lake Bell weir project. The city has entered into a new version of the street sweeping contract, and once that contract comes to an end, the city will attain their own contractor and piggy back on the existing contract.

Ms. Wall, after discussion with and at the recommendation of City Manager, spoke about the lack of sediment removal and dredging on the lake. She proceeded to ask that the board make a motion that would recommend to the City Commission a line item dedicated to dredging and sediment removal within the budget.

Motion made by Jason Ellison to recommend to the City Commission to include a line item in the budget dedicated to sediment removal and

dredging on Lake Killarney; seconded by Carolyn Minear. Motion carried unanimously with a 7-0 vote.

Ms. Wall thanked the staff for sending a newsletter to lake residents and asked staff to include adding boat house numbers as a requirement for new permit applications.

c. Orange County Update

None were given.

8. Board Comments

Mr. Ellison asked about getting a weedoo to clean out the canal, and staff noted that it is an upcoming project.

a. Discussion of Public Comments Received

There were no public comments, therefore, no discussion was held.

9. Upcoming Agenda Items

a. Upcoming Agenda Items

- Tax information added to the variance packet.
- Follow-up about the tipped over boat.
- Water quality updates.
- Lakes maintenance and efforts.
- Sediment removal update for NRCS.
- Telemetry station update.
- Capital Improvement Projects (CIP) update.
- Lakefront construction update.
- BMP feasibility study.
- Outfall condition update.
- Library and Events Center As-Built- Charles Ramdatt.
- A review of the shape of Lake Killarney and the cove as they relate to the city code.

b. Summary of Meeting Action Items

Minutes from the previous meeting have been approved with amendments made. The board made recommendations for the applicant of the boathouse/dock application for 2054 Lake Dr. before bringing the application back for approval. The boathouse/dock application for 455 Lakefront Blvd. was approved. The board approved the interim Flood Management Guide pending the findings of the West Basin Study.

A recommendation to the City Commission was approved to not alter MLK Jr. pond until the West Basin Study has been completed and brought before this board for

consideration.

A recommendation to the City Commission was approved to add a line item in the budget specific to sediment removal and dredging on Lake Killarney.

The board made a motion to ask staff for a review of the shape of Lake Killarney, including the cove, and how the current code would function.

10. Adjournment

The meeting adjourned at 12:50 p.m.

Minutes approved by the board on
/s/ Tatia Ghviniashvili, Board Coordinator

ATTEST:



Lake Killarney Board

agenda item

item type

Staff Updates

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Lakes Management

1. Water Quality Update
2. At-Risk Vessel
3. Sediment Removal Update for Natural Resources Conservation Services (NRCS)
4. Telemetry Stations Update
5. Maintenance and Efforts
6. Tax information added to the variance packet
7. FWC Program - Alligators

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

1. Lake Update 11.1.2023
2. AFFECTED ADJACENT PROPERTY OWNER LONO


3. alligator-brochure

LAKE UPDATE:


- Water Quality Update June
- At-Risk Vessel
- Sediment Removal for Natural Resources Conservation Services (NRCS)
- Telemetry Stations
- Maintenance and Efforts:
 - 95 gal Debris Removed
 - 55 gal Trash Removed
 - Fallen Tree in Outfall Canal Removed

Water Quality Thresholds Background


- [Water Atlas - Orange County](#)
- <https://www.flrules.org/gateway/ChapterHome.asp?Chapter=62-302>




Trophic State Index (TSI) Comparison




Phosphorus (TP) Comparison



Nitrogen (TN) Comparison



Clarity Comparison





AFFECTED ADJACENT PROPERTY OWNER STATEMENT OF NO OBJECTION WAIVER REQUEST

Dear Permit Applicant,

The City of Winter Park Code Sec.114-31

(https://library.municode.com/fl/winter_park/codes/code_of_ordinances?nodeId=PTIICOOR_CH114WA) provides the following criteria for boat dock construction:

“All new docks and boathouses shall be constructed no closer than ten (10) feet from a side lot line, as measured on the land and may not extend beyond the property line extended into the lake for that distance of the structure. This side setback can be reduced to five (5) feet if written approval is presented from the adjacent property owners, but may not extend beyond the projected property line extended.”

“All new docks and boathouses shall not extend over thirty (30) feet into the water from the elevations specified in this article. However, on Lake Killarney the maximum distance may be fifty (50) feet.”

“The highest point of a boathouse or gazebo roof or any railing shall not exceed eleven (11) feet and the roofs must be pitched with a minimum 2:12 slope on all sides of the peak, so as to eliminate flat roofs and use of such areas as sundecks. The height shall be measured from the surface of the dock or floor to the highest point of the roof or railing. In addition, the surface of any dock, sundeck or floor of any boathouse, gazebo, etc., shall not be more than two (2) feet above the elevations specified in this subsection.”

In order to secure a statement of no objection to deviations from the Code from the adjacent landowner for your boat dock, you must present the attached form with signed, dated and sealed plans for your boat dock to your neighbor so they can make an informed decision. Signed, dated and sealed plans, should include:

- ✓ Site Survey
- ✓ Site Plan
- ✓ Dock Plans
- ✓ Plan View and Elevation

Completed notarized statement of no objection forms must be uploaded to the permitting portal as part of the permit request.



AFFECTED ADJACENT PROPERTY OWNER STATEMENT OF NO OBJECTION WAIVER

This waiver is to be completed by the affected adjacent property owner and serve as written approval following City of Winter Park Code Sec.114-31 that states: "If the request includes a variance from any of the terms of this section regarding the setbacks, height or size of a structure, then a signed letter or email of no objection from the abutting or affected shoreline property owner(s). The letter or email of no objection must identify the variance request on the site plan for the proposed dock and a copy of the site plan and site plan must be attached to the letter."

I, _____ [Affected Adjacent Property Owner Name], residing at
_____ [Address], on Lake _____ [Name of Lake],
have reviewed my adjacent property owner's proposed dock construction plans dated _____, for the
property located at _____ [Address], and have no objections.

The dock construction plans include a side setback waiver request of _____ feet, in lieu of the minimum 10 feet required by Code.

The dock construction plans include a length of dock waiver request for a dock _____ feet in length, in lieu of the maximum 30 (50 on Lake Killarney) feet.

The dock construction plans include a height waiver request for a dock _____ feet in height, in lieu of the maximum 11 feet.

Signature: _____

Date: _____

Print Name: _____

Attach Orange County Property Appraiser Property Card of the affected adjacent property to this form as proof of ownership.

■ Never feed alligators – it's dangerous and illegal. When fed, alligators can overcome their natural wariness and learn to associate people with food. When this happens, some of these alligators have to be removed and killed.

■ Dispose of fish scraps in garbage cans at boat ramps and fish camps. Do not throw them into the water. Although you are not intentionally feeding alligators when you do this, the result can be the same.

■ Seek immediate medical attention if you are bitten by an alligator. Alligator bites can result in serious infections.

■ Observe and photograph alligators only from a distance. Remember, they're an important part of Florida's natural history as well as an integral component of aquatic ecosystems.



Janice Plain

To report nuisance alligators call
866-FWC-GATOR (866-392-4286).



MyFWC.com/Alligator



Tim Donovan, FWC

Call 866-FWC-GATOR (392-4286) to report nuisance alligators.

 Printed on recycled content.

02/2012

A Guide to Living with **Alligators**



Jamie Feddersen



Florida Fish and Wildlife
Conservation Commission
MyFWC.com



Lizabeth West, FWC

Do not swim outside of posted swimming areas or in waters that may be inhabited by alligators.

Living with Alligators

In Florida, the growing number of people living and recreating near water has led to a steady rise in the number of alligator-related complaints. The majority of these complaints relate to alligators being where they simply aren't wanted. Because of these complaints, the Florida Fish and Wildlife Conservation Commission's Statewide Nuisance Alligator Program permits the killing of approximately 7,000 nuisance alligators each year. Using this approach, and through increased public awareness, the rate of alligator bites on people has remained constant despite the increased potential for alligator-human interactions as Florida's human population has grown.

Alligators are an important part of Florida's landscape and play a valuable role in the ecology of our state's wetlands. Alligators are predators and help keep other aquatic animal populations in balance. A better understanding of the facts and information presented in this brochure will help ensure that people and alligators can continue to coexist.

Visit MyFWC.com/Gators for more information about alligators and the latest nuisance alligator program statistics.



Tim Donovan, FWC

Alligators and People

Alligators are a fundamental part of Florida's wetlands, swamps, rivers and lakes, and they are found in all 67 counties. Florida continues to experience human population growth. Many new residents seek waterfront homes, resulting in increased interactions between people and alligators.

Although most Floridians understand that we have alligators living in our state, the potential for conflict exists. Because of their predatory nature, alligators may target pets and livestock as prey. Unfortunately, people also are occasionally bitten. Since 1948, Florida has averaged about five unprovoked bites per year. During that period, a little more than 300 unprovoked bites to people have been documented in Florida, with 22 resulting in deaths.

In the past 10 years, the Florida Fish and Wildlife Conservation Commission has received an average of nearly 16,000 alligator-related complaints per year. Most of these complaints deal with alligators occurring in places such as backyard ponds, canals, ditches and streams, but other conflicts occur when alligators wander into garages, swimming pools and golf course ponds. Sometimes, alligators come out of the water to bask in the sun or move between wetlands. In many cases, if left alone, these alligators will eventually move on to areas away from people.

Safety Tips

■ Generally, alligators less than four feet in length are not large enough to be dangerous unless handled. However, if you encounter any alligator that you believe poses a threat to people, pets or property,

call the Nuisance Alligator Hotline at 866-FWC-GATOR (866-392-4286). Please be aware, nuisance alligators are killed, not relocated.

- Be aware of the possibility of alligators when you are in or near fresh or brackish water. Bites may occur when people do not pay close enough attention to their surroundings when working or recreating near water.
- Do not swim outside of posted swimming areas or in waters that might be inhabited by large alligators.
- Alligators are most active between dusk and dawn. Therefore, avoid swimming at night.
- Dogs and cats are similar in size to the natural prey of alligators. Don't allow pets to swim, exercise or drink in or near waters that may contain alligators. Dogs often attract an alligator's interest, so do not swim with your dog.
- Leave alligators alone. State law prohibits killing, harassing or possessing alligators. Handling even small alligators can result in injury.



Tim Donovan, FWC

A young alligator wanders onto a porch in a residential neighborhood.



Lake Killarney Board

agenda item

item type

Staff Updates

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Stormwater Management

1. CIP Update
2. Infrastructure Projects: Nicolet Pond, Killarney Dr. Pipe Replacement, & Lake Bell Weir
3. Lake Front Construction Update
4. Library and Events Center As-Builts

Follow-up Items:

1. BMP Feasibility Study
2. Outfall Condition Update

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact**

attachments

1. SW Update 11.23

Stormwater Staff Update

Lake Killarney Advisory Board

ACCT #	CIP Title & Description	Original Year Funded	Current Balance	Status/Comments
565200	Drainage Improvements - Recent years of unusually heavy rainfall events have revealed several substandard drainage conditions in various locations throughout the City.	Annually Funded	\$77,041	Several in-house drainage improvements projects for 2023-24 - Completed replacement of 70ft of 24 inch RCP crossing Joeline Court, and 120ft of 18 inch HDPE at the north end of Laurel Road. Upcoming - add another inlet and outfall pipe at 1622 Arbor Park Drive, increase pipe size at 1642 Arbor Park Drive, storm pipe replacement/relocate at 2601 & 2631 Temple Drive.
				1) <u>Palmer at Old England outfall repair</u> - Stormwater outfall pipe replacement required. Design is 30% complete, survey is now complete.
				2) <u>Stormwater Outfall Dredging</u> - The City recently entered a new contract, dredging on several stormwater outfalls started in Aug 2023, and will continue as needed.
				3) <u>Ward Park ponds construction</u> - Estimated cost \$150k. NE and NW Pond excavation and sodding is complete. The piping to be installed in August 2023.
				4) <u>357 E Lake Sue Ave</u> - Increase storm sewer inlet capacity at the low point in Lake Sue Ave.
565203	Lk. Bell Weir Outfall Improvements -	2009	\$69,223	Repairs may be required on the Lake Bell outfall weir. Met with consultant on June 30, 2023, PO has been issued and kick-off meeting scheduled for 10/24/23.
565221	Seminole County Ditch Piping (along Arbor Park Dr) – Drainage ditch behind the homes along Arbor Park Drive has a shared drainage basin with Seminole County. Funding is provided for the design and construction to pipe the ditch.	2016	\$733,395	The Interlocal Agreement was approved by the City Commission and by the Seminole County Commission. 60% plans completed and submitted to Seminole County. Process to permit with SJRWMD currently underway.
565205	Nicolet Ave Stormwater Pond – complete the design and construction of a stormwater treatment pond on City purchased properties located at 796 & 808 Nicolet Avenue	2023	\$200,000	Commission approved \$200,000 in the City's FY'23 budget. SJRWMD permit pre-application meeting is being requested.
	TOTALS			
	3023406 ACTIVE STORMWATER CIP's		\$1,079,658.79	BALANCE TOTAL


Stormwater Staff Update

Lake Killarney Advisory Board

- Infrastructure Projects
 - Nicolet Pond
 - Killarney Dr Pipe Replacement
 - Lake Bell Weir

Stormwater Staff Update


Lake Killarney Advisory Board



Stormwater Staff Update

Lake Killarney Advisory Board

- CIP Line Item for Dredging - Discussion
- Library and Event Center As-Builts



Stormwater Staff Update

Lake Killarney Advisory Board

- Follow-up items:
 - BMP feasibility study for Killarney Dr Outfall Consolidation (when available)
 - Outfall Condition Update



Lake Killarney Board

agenda item

item type

Staff Updates

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Orange County Update

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

None



Lake Killarney Board

agenda item

item type

Board Comments

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Discussion of Public Comments Received

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

None



Lake Killarney Board

agenda item

item type

Upcoming Agenda Items

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Upcoming Agenda Items

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

None



Lake Killarney Board

agenda item

item type

Upcoming Agenda Items

meeting date

November 1, 2023

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Summary of Meeting Action Items

motion | recommendation**background****strategic objectives****alternatives | other considerations****fiscal impact****attachments**

None