



Lakes & Waterways Board Regular Meeting

Agenda

October 8, 2024 @ 12:00 PM

City Hall Commission Chambers
401 S. Park Avenue

welcome

Agendas and all backup material supporting each agenda item are accessible via the city's website at cityofwinterpark.org/meetings/ and include virtual meeting instructions.

assistance & appeals

Persons with disabilities needing assistance to participate in any of these proceedings should contact the City Clerk's Office ([407-599-3277](tel:407-599-3277)) at least 48 hours in advance of the meeting.

"If a person decides to appeal any decision made by the Board with respect to any matter considered at this hearing, a record of the proceedings is needed to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." (F.S. 286.0105).

please note

Times are projected and subject to change.

1. Call to Order**2. Consent Agenda**

- a. Approve the minutes of September 10, 2024 1 Minute

3. Public Comments (for items not on the agenda): Three minutes allowed for each speaker**4. Public Hearings (Public participation and comment on these matters must be in person.)**

- a. Boathouse/Dock Application (BLDR-2024-0723) 2170 W Fawsett Rd. 10 Minutes
- b. Seawall Reventment Application (SAP-2024-0015) 910 Poinciana Ln. 10 Minutes

5. Action Items**6. Non-Action Items****7. Staff Updates**

- a. Winter Park Police Department 10 Minutes
- b. Lakes Management 10 Minutes
- c. Past & Upcoming Events 5 Minutes
- Get Hooked! - 10/5 7:30a @ MLK Pond
 - 2024 Backyard Biodiversity Day - 10/19 9a @ Mead Garden
 - Lake Shoreline Restoration - 10/19 9a @ Lakes Temple & Tuscany
 - Household Hazardous Waste Drop-off - 11/9 9a @ Cady Way Pool

- d. Stormwater Management 10 Minutes

8. Board Comments

- a. Discussion of Public Comments Received 5 Minutes

9. Upcoming Agenda Items

- a. Discussion of Upcoming Agenda Items 5 Minutes

10. Adjournment



Lakes & Waterways Board

agenda item 2.a

item type

Consent Agenda

meeting date

October 8, 2024

prepared by**approved by****subject**

Approve the minutes of September 10, 2024

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

1. LWB-mins-2024-09-10 DRAFT



Lakes & Waterways Board Regular Meeting Minutes

September 10, 2024 at 12:00 PM

City Hall Commission Chambers
401 S. Park Avenue

Present

William H. Swartz Sr., Ed Webman, Clark Sprinkel (Virtual), Justin J. Vermuth, George T. Vietor, David F. March

Absent

Matthew Johnson

Staff Present

Director of Natural Resources and Sustainability Gloria Eby, Assistant Director of Public Works Don Marcotte; Public Works Engineer Shannon Monahan, Lakes Manager Joseph Cordell; Administrative Assistant Victoria Tabor

1. Call to Order

Justin Vermuth called the meeting to order at 12:04 p.m.

2. Consent Agenda

- a. Approve the minutes of August 13, 2024

Motion made by Mr. Webman to approve the minutes, seconded by Mr. Vietor. Motion carried unanimously with a 6-0 vote.

3. Public Comments (for items not on the agenda)

4. Public Hearings (Public participation and comment on these matters must be in person.)

- c. Boathouse/Dock Application (BLDR-2024-0678) 201 Osceola Ct.

Mr. Cordell presented the permit application BLDR-2024-0678 for a new dock at 201 Osceola Ct. Mr. Cordell clarified that a variance is not needed. Staff recommended approval.

Motion made by Mr. March to approve new dock permit BLDR-2024-0678; seconded by Mr. Webman. The motion carried unanimously by a 6-0 vote.

- a. Boathouse/Dock Application (BLDR-2024-0692) 2250 Venetian Way

Mr. Cordell presented new boathouse, permit Bldr-2024-0692 at 2250 Venetian Way. Staff recommended approval.

Motion made by Mr. March to approve new boathouse permit BLDR-2024-0692; seconded by Mr. Vermuth. The motion carried unanimously by a 6-0 vote.

b. Seawall Revetment Application (SAP-2024-0013) 2250 Venetian Way

Mr. Cordell presented the seawall revetment permit SAP-2024-0013 at 2250 Venetian Way, an existing structure. No revetment and no revegetation would be required. Urban Forestry required contouring around the cypress trees. Staff recommended approval. Applicant Sheila Cichra verified they will build around the cypress trees.

Motion made by Mr. Vermuth to approve permit SAP-2024-0013; seconded by Mr. Vietor. The motion carried unanimously by a 6-0 vote.

5. Action Items

a. Shoreline Permitting Fees

Ms. Eby reviewed the change in the Violation of Shoreline Protection Code fee from \$500 to \$1K. The term "2nd" was added to the Dock site plan review fee wording and explained that the first plan review is at no charge to builders and homeowners. Question arose as to the meaning of letters C versus M that are located next to the fees on the Winter Park fee schedule document. It was explained that the letters next to the fees are the types of pricing, C - based on cost, M - based on market comparison and S - stipulated by State of Florida Statutes.

Ms. Eby explained that shoreline alteration covers vegetation improperly removed and boat docks, seawalls and revetment modifications without proper permitting. It was further discussed, replacement of vegetation and partial reimbursement of the fine. Ms. Eby advised that vegetation is required to be replaced and the maximum fine is charged at staff's discretion. Residents are warned before fine imposed unless there is blatant disregard. Staff has drafted, for educational purposes, a shoreline permitting guide that includes city regulations. Mr. Vietor suggested a guide for new homeowners living on the lakes in Winter Park. Staff is receptive to creating a "welcome to your lake", informational package.

It was pointed out that floating eel grass does not require a permit. However, removing rooted eel grass requires a permit and maybe an FWC permit. Staff, when on the lakes, observe the vegetation being removed or neighbors often report it. Maintenance on the lake usually requires a permit. The permit is free so that staff can educate homeowners on what can be removed and what negatively affects the shoreline. For lakes under 40 acres, no permit required.

Motion made by Mr. Vermuth to increase the Violation of Shoreline Protection Code fee and add "2nd" to Dock site plan review; seconded by Mr. Vietor. The motion passed by a 5-0 vote 1 opposed.

6. Non-Action Items

7. Staff Updates

a. Winter Park Police Department

Sgt Hofer's monthly report included 12 patrols on the water, issued 7 citations, 81 safety inspections, 86 vessel stops, towed 2 vessels as one floated away due to high water. Residents are being reminded to tie their boats and raise the cradles to prevent boats from floating. Labor Day holiday was busy and Staff had to remind some parents via citations to put personal flotation devices (PFD's) on children under the age of 6. The number of complaints regarding wake boats and property damage have increased because of the high water. Sgt Hofer cited the Florida Statute for the careless operation of a vessel: Vessel, wake and shoreline wash, resulting from the reasonable and prudent operation of a vessel absent negligence does not constitute damage or endangerment to property. Action will be taken if staff observes the carelessness and negligence while using a vessel that results in property damage. Lakes belong to the State of Florida and the City manages them. To manage the high water, the City closes public docks, but not the lakes.

b. Lakes Management

Ms. Eby displayed slides updating the lake closures of the chain of lakes and Lake Sue. Flood waters coming into the Loch Haven chain of lakes significantly impact the entire chain, the entire basin and lake elevations downstream into Seminole County. There is a rumor that the work being conducted with NRCS, connecting Lake Sue to Lake Virginia is causing the flooding upstream. The lakes division has improved the flow by removing sediments and debris. The sediment removal from Horatio to Waumpi has been completed. At present work has completed halfway through Lake Sue to about Alice's pond/Mead garden.

Mr. Marcotte advised that he will check on the status of the study with regards to lengthening the weir in Lake Maitland. MLK pond is being lowered to help with minor flooding. The lakes division is actively managing the lake systems in Winter Park.

Slide and an in-person sample of the Asian Swamp eel was shown to board members. The Asian Swamp eel is profuse throughout the system and a sizable invasive species. Staff is conducting a biological life history monitoring for the Asian Swamp eel. It was asked how the Asian Swamp eel was introduced to the chain of lakes. Mr. Cordell advised FWC's theory is that the Buddhist community during a religious ceremony released a captured animal or one from the market and set it free. This is a food item in some cultures.

The plant of the month is the carnivorous Bladderwort Utricularia. This plant eats tiny zooplankton that exists in the lakes.

Water quality data on all lakes including Sue, Berry, Killarney and Baldwin, stemming from hurricane Ian shows an increase in nitrogen and phosphorus and an increasing trophic state index. With the increase comes a decrease in clarity. Lake Maitland has a decrease in aquatic vegetation. Staff will continue to monitor, sample and detail lake activity. The lakes division is invested in having a nutrient and hydrologic study done for

the chain of lakes, for the purpose of formulated responses, evidence related to nutrient sourcing and projects that can help future mitigation. Lake Berry is stable, with an increase in clarity over the past 2 years. Lake Killarney has trending increases related to hurricane Ian. The actions taken by staff are to decrease nutrients in the lakes. A question arose on the status of the aeration work on Lake Virginia and the trophic index. Ms. Eby advised positives with clarity, with phosphorus and other byproducts using the nano bubble technology.

c. Past & Upcoming Events

- Howell Branch Clean-up - 8/24 9a @ 2917 Temple Trail
- Fix it! Don't Pitch It - 9/7 9a @ Winter Park Events Center
- Orange County Lake Killarney Advisory Board Meeting - 9/12 5p @ Public Safety Building (500 N Virginia Ave)
- Paddleboard Clean-up - 9/14 9a @ Kraft Azalea to Dog Island
- Wood Duck Box Workshop - 9/14 9a @ MLK Jr. Park
- Sustainability Fair & EV Car Show - 9/21 9a @ West Meadow
- Get Hooked! - 10/5 7a @ MLK Pond
- 2024 Backyard Biodiversity Day - 10/19 9a @ Mead Garden
- Lake Shoreline Restoration - 10/19 9am @ Temple & Tuscany

The Board members were invited to the upcoming events. Mr. Cordell informed the board of the Lake Watch event at the library on the 24th.

d. Stormwater Management

Ms. Monahan informed the repair of Lake Bell weir is almost complete. Mr. Marcotte displayed the New York Ave exfiltration system located under the fairway. The exfiltration system was the result of a 2006 grant received by the city.

8. Board Comments

- a. Discussion of Public Comments Received

9. Upcoming Agenda Items

- a. Discussion of Upcoming Agenda Items

Mr. Sprinkel inquired on a plan for and how eel grass is treated.

10. Adjournment

The meeting adjourned at 1:05 p.m.

Approved by the board on _____
/s/ Bahiyyah Layton, Board Coordinator



Lakes & Waterways Board

agenda item 4.a

item type

Public Hearings (Public participation and comment on these matters must be in person.)

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Boathouse/Dock Application (BLDR-2024-0723) 2170 W Fawsett Rd.

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

1. BLDR-2024-0723 -2170 Fawsett Rd



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS

BLDR-2024-0723

2170 Fawsett Rd

- Applicant: Sally Copperhaven
- Contractor: Creative Dock and Deck, Inc
- Permitting Agent: Sheila Cichra
- Structure: Boathouse & Dock
- New/Existing: Existing
- Waterbody: Lake Sue


Parameters

Dock Parameter	Proposed	Allowed	Variance Req.?
Total Area (ft ²)	566	max	No
Length from OHW (ft)	30'	30'	No
Height of Roof (ft above deck)	11'	11 max	NA
Height of Deck (ft above OHW)	1-2'	2 max	No
Enclosures?	No	80 ft ² max (no plumbing/water allowed)	NA
Side Yard Setback(s) (ft)	5'	10' min (5' with Letter of No Objection)	Yes
Meet Vegetation Criteria?	Yes	50% may be cleared	N/A


Staff Recommendation: **Approval**
Reviewed by: Joey Cordell

Map View

Basemap



Aerial View




Photos




Photos



Plans



Plans




Copenhaver 2170 West Fawsett Road, Winter Park

Darcy Unroe, PE # 60929 P.O. Box 690942, Orlando, FL 32869 (407) 299-0650

Plans

Elevation and FBC Specs



This item has been electronically signed and sealed by Darcy Unroe, PE 60929 on the date indicated using a Digital Signature. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copy.

THIS STRUCTURE HAS BEEN DESIGNED TO MEET THE 2023 FLORIDA BUILDING CODE, 8TH EDITION AND ASCE 7- 22 AND 2020 NATIONAL ELECTRIC CODE.


1. BASIC WIND SPEED (Vasd) = 108 MPH, ULTIMATE WIND SPEED (Vult) = 140 MPH
2. IMPORTANCE FACTOR: I = 1.0
3. WIND EXPOSURE = CATEGORY D
4. OPEN STRUCTURE WITH A ZERO PRESSURE COEFFICIENT

Copenhaver

2170 West Fawsett Road, Winter Park

Darcy Unroe, PE # 60929 P.O. Box 690942, Orlando, FL 32869 (407) 299-0650

Roof Cross Section



Copenhaver

2170 West Fawsett Road, Winter Park

Darcy Unroe, PE # 60929 P.O. Box 690942, Orlando, FL 32869 (407) 299-0650

Variance Approval

CITY OF WINTER PARK PLANNING AND ZONING COMMISSION


Staff Report
April 2, 1997

SPR 12:97 Request of Preston Copenhaver for approval of a dock and boathouse at 2170 Fawsett Road on Lake Sue.

Mr. and Mrs. Preston Copenhaver are the owners of the home at 2170 Fawsett Road on Lake Sue. They are requesting approval for a new dock and boathouse that have been submitted by their contractor, Dockmaster Inc.

The plans attached depict the typical dock and boathouse that we have previously approved. It meets the code in terms of the 11-foot height and thirty feet out into the lake. The boathouse was originally planned to be centered in the middle of the lake frontage across the street from the house. However, the adjacent neighbor has asked to have it moved to a 5-foot setback to the south property line. Since the City is the adjacent property owner, the P&Z Board can approve at that 5-foot setback, per Code that allows the adjacent neighbor to consent to the 5 feet versus 10-foot setback. There was not time to redraw the site plan, so the site plan submitted has the original setbacks crossed out and the new setbacks added (5 feet to the south)

STAFF RECOMMENDATION IS FOR APPROVAL.



CITY OF WINTER PARK
PLANNING & ZONING COMMISSION

Page 6

REGULAR MEETING
APRIL 2, 1997

redesign the plan to offer his neighbor the best view possible. Mr. Dorsey moved to approve this request with the conditions recommended by staff, Ms. Daniels seconded, motion carried (4-0).

SPR 9:97 Request of Knight Kincaid & Associates to construct a new, two-story, single-family house, 8,952 square feet in size at 970 Via Lugano on Lake Maitland.

Mr. Briggs provided the details of this request to construct a two-story house, 8952 square feet in size. He reported that tree preservation does not pose a concern but some new trees should be required as compensation for the trees removed, that landscaping buffers are required in front of the retaining wall at the lake, that the view of neighbors is not affected, and that stormwater retention requirements are satisfied. Staff recommended approval with three conditions: 1) That a landscape plan be submitted and approved by the Parks Department which accomplishes the intent of screening the lakeside retaining walls and house stemwalls with landscaping and which also includes new trees; 2) That the lakefront swale and berm be constructed at the start of construction; 3) That any fencing along the eastern property line be wrought iron or other open fencing versus block walls.

Jane Kincaid, applicant, appeared to answer questions from the commission; there were none.

No one else wished to speak to this issue. Chairman Schaus closed the public hearing. No concerns or questions were expressed. Mr. Swisher moved to approve with the conditions recommended by staff, Ms. Daniels seconded, motion carried (4-0).

SPR 10:97 Request of Jeffrey Doster for approval of a dock and boathouse at 931 Greentree Drive on Lake Osceola.

Mr. Briggs recalled the lot split approval granted in March of 1996 which created this vacant lot and explained that the Doster's will submit house plans in the near future, however, requested at this time is approval of the 564 square-foot dock and boathouse which meet code. Staff recommended approval.

No one wished to speak to this issue. Commission members had no questions or concerns. Mr. Dorsey moved to approve, Mr. Swisher seconded, motion carried (4-0).

SPR 11:97 Request of Bill Rosenfelt for approval of a dock and boathouse at 1400 North New York Avenue on Lake Maitland.

Mr. Briggs described this request for approval of a 600 square-foot dock and boathouse as a typical design which meets code. Staff recommended approval.

No one wished to speak to this issue. Commission members had no questions or concerns. Mr. Dorsey moved to approve, Ms. Daniels seconded, motion carried (4-0).

SPR 12:97 Request of Preston Copenhaver for approval of a dock and boathouse at 2170 Fawsett Road on Lake Sue.

Mr. Briggs described this request for approval of a 540 square-foot dock and boathouse as a typical design which meets code. Staff recommended approval.

No one wished to speak to this issue. Commission members had no questions or concerns. Mr.

CITY OF WINTER PARK
PLANNING & ZONING COMMISSION

Page 7

REGULAR MEETING
APRIL 2, 1997

Dorsey moved to approve, Ms. Daniels seconded, motion carried (4-0).

Meeting adjourned 9:12 p.m.

Respectfully submitted,

Lena Petersen
Lena Petersen CPS
Administrative Coordinator



Lakes & Waterways Board

agenda item 4.b

item type

Public Hearings (Public participation and comment on these matters must be in person.)

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Seawall Reventment Application (SAP-2024-0015) 910 Poinciana Ln.

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

1. SAP-2024-0015 - 910 Poinciana Ln

The background of the slide is a high-resolution photograph of ocean waves. The water is a deep blue, and the waves are characterized by white, frothy crests that catch the light. The perspective is from a slightly elevated position, looking down at the water's surface. A semi-transparent horizontal band is overlaid across the middle of the image, serving as a backdrop for the title text.

SEAWALL APPLICATIONS

SAP-2024-0015

910 Poinciana Ln

- Applicant: Jack Giacalone
- Contractor: Jeff Parker
- Permitting Agent: Karina Perez
- Structure: Vertical Seawall
- New/Existing: New
- Waterbody: Venetian Way Pond


Parameters

Parameter	Proposed	Allowed	Variance Req.?
Length (ft)	120	N/A	N/A
Slope (Horizontal:Vertical)	2:1	2:1 min *exempt in canal	No
Material	Natural Stone	N/A	N/A
Existing Erosion Problem (Yes/No)	Yes	Must have existing erosion problem	N/A
Meet Vegetation Criteria?	Yes	50% may be cleared	N/A

Staff Recommendation: **Approval**
Reviewed by: Joey Cordell

Map View

Basemap




Aerial View



Photos



Survey




Aerial View



AFTER *Lake Maitland*

JACK GIACALONE
910 Poinciana Lane
Winter Park, FL 32789
32-21-30-0000-00-007



Replanting Calculations:

60' right side of dock x 7 ft outward : 420sq Ft.
4 plants, every 4ft O.C = 15 pads along the shoreline and 2 rows outward = 30 pads
30 pads x 4 plants each pad = 120 plant units
*Planted in pads to increase survival, planting equal to 1 plant every 1 ft O.C
Plant Species Planted: 40 Pickerelweed, 40 Duck Potato, 40 Cannas

Notes:


- Construction of rip-rap at a 2:1 grade
- stone Size ½ ft- 1 ft.
- No use of heavy equipment for construction of rip-rap
- No dredging or fill of current shoreline, the rip-rap will be installed at the current erosion site
- Average dimension of rip-rap (outward) 2 ½ to 3ft.

Yard

Side View



PROCESS- (Example)



CLIENT

Jack Giacalone
910 Poinciana Lane Winter Park FL 32789

PROJECT

Installation of Natural Stone
Rip-Rap to halt severe erosion
of shoreline

PROJECT NO.

Estimate #4876

Date

09/02/2024





Lakes & Waterways Board

agenda item 7.a

item type

Staff Updates

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Winter Park Police Department

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

None



Lakes & Waterways Board

agenda item 7.b

item type

Staff Updates

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Lakes Management

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

1. Lakes Update 2024.10



Lakes and Waterways Advisory Board

October 2024

Lakes Updates

- NRCS Updates
- Treatments
- Plant of the Month
- Interlocal Coordination
- Past & Upcoming Events:
 - Get Hooked! Oct 5th
 - Lake Temple and Tuscany Restoration Oct 19th
 - Household Hazardous Waste Nov 7th

Plant of the Month

Water Primrose (*Ludwigia spp.*)





Lakes & Waterways Board

agenda item 7.c

item type

Staff Updates

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Past & Upcoming Events

- Get Hooked! - 10/5 7:30a @ MLK Pond
- 2024 Backyard Biodiversity Day - 10/19 9a @ Mead Garden
- Lake Shoreline Restoration - 10/19 9a @ Lakes Temple & Tuscany
- Household Hazardous Waste Drop-off - 11/9 9a @ Cady Way Pool

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

None



Lakes & Waterways Board

agenda item 7.d

item type

Staff Updates

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Stormwater Management

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

1. SW Update 10.24 Lakes and WW Board

Staff Update


Stormwater Management

Stormwater Management – CIP

ACCT #	CIP Title & Description	Original Year Funded	Current Balance	Status/Comments
565200	Drainage Improvements - Recent years of unusually heavy rainfall events have revealed several substandard drainage conditions in various locations throughout the City.	Annually Funded	\$51,181	Several in-house drainage improvements projects for 2023-24 - Completed replacement of 70ft of 24 inch RCP crossing Joeline Court, and 120ft of 18 inch HDPE at the north end of Laurel Road. Upcoming - add another inlet and pipe at 1622 Arbor Park Drive, increase pipe size at 1642 Arbor Park Drive, storm pipe replacement/relocate at 2601 & 2631 Temple Drive.
				1) <u>Palmer at Old England outfall repair</u> - Stormwater outfall pipe replacement required. Design is 40% complete, survey is now complete. Phase 1 permit application with SJRWMD has been submitted. Waiting on response from District.
				2) <u>Stormwater Outfall Dredging</u> - The City recently entered a new contract, dredging on several stormwater outfalls started in Aug 2023, and will continue as needed.
				3) <u>Ward Park ponds construction</u> - Estimated cost \$150k. NE and NW Pond excavation and sodding is complete. Piping installation complete.
				4) <u>Pipe Repair at Summer Way</u> - Corrugated metal pipe replacement. COMPLETE.
				5) <u>Killarney Dr Outfall & Street Repairs Phase 1</u> - New outfall to replace two existing outfalls. Permit with SJRWMD to be submitted April 2024. Anticipated Construction October 2024.
565203	Lk. Bell Weir Outfall Improvements -	2009	\$69,223	Pressure grouting repair complete.
565221	Seminole County Ditch Piping (along Arbor Park Dr) – Drainage ditch behind the homes along Arbor Park Drive has a shared drainage basin with Seminole County. Funding is provided for the design and construction to pipe the ditch.	2016	\$733,295	The Interlocal Agreement was approved by the City Commission and by the Seminole County Commission. 60% plans completed and submitted to Seminole County. Phase I permit application has been submitted to SJRWMD.
565205	Nicolet Ave Stormwater Pond – complete the design and construction of a stormwater treatment pond on City purchased properties located at 796 & 808 Nicolet Avenue	2023	\$0	Pond is complete.
565217	Stirling Bridge Replacement	2024	\$224,575	Updates required for price estimate.
565210	Fawsett Road CDS Unit	2024	\$200,000	Seeking permit exemption with SJRWMD.
	TOTALS			
	3023406 ACTIVE STORMWATER CIP's		\$1,278,273.72	BALANCE TOTAL



Stormwater Management

Webster Ave Baffle Box



Stormwater Management

Webster Ave Baffle Box





Lakes & Waterways Board

agenda item 9.a

item type

Upcoming Agenda Items

meeting date

October 8, 2024

prepared by

Victoria Tabor, Administrative Coordinator II

approved by

Victoria Tabor, Administrative Coordinator II

subject

Discussion of Upcoming Agenda Items

motion | recommendation**background****alternatives | other considerations****fiscal impact****attachments**

None