



Lake Killarney Advisory Board Regular Meeting

Agenda

May 10, 2022 @ 2:00 pm

Public Safety Building

500 N. Virginia Ave

Winter Park, FL 32789

welcome

Agendas and all backup material supporting each agenda item are accessible via the city's website at cityofwinterpark.org/bpm and include virtual meeting instructions.

assistance & appeals

Persons with disabilities needing assistance to participate in any of these proceedings should contact the City Clerk's Office ([407-599-3277](tel:407-599-3277)) at least 48 hours in advance of the meeting.

"If a person decides to appeal any decision made by the Board with respect to any matter considered at this hearing, a record of the proceedings is needed to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." (F.S. 286.0105).

please note

Times are projected and subject to change.

-
1. **Call to Order**
 2. **Consent Agenda**
 - a. [Approve of Meeting Minutes 04-06-22](#) 2 Minutes
 3. **Public Comments (for items not on the agenda): Three minutes allowed for each speaker**
 4. **Public Hearings**
 - a. [BLDR-2022-0087 265 Rippling Lane - Revision Request](#) 10 Minutes
 - b. [SAP-2022-0005 - 2000 Lake Drive - Sea Wall Application](#) 10 Minutes
 5. **Action Items**
 6. **Non-Action Items**
 - a. [Letter Sent to City Management about Report Card Footnote](#) 5 Minutes
Email was sent to city management.
 - b. [Killshore Lane Update](#) 5 Minutes
Stormwater will give an update on Killshore Lane
 - c. [The Cove Raw Data](#) 5 Minutes
Lakes will give an update on the data
 - d. [Lake Killarney Shores Boat Ramp - UPDATE](#) 5 Minutes
 7. **Staff Updates**
 - a. [Lakes Management](#) 5 Minutes
 - b. [Stormwater Management](#) 5 Minutes
 8. **Board Comments**
 - a. [Future Agenda Items](#) 10 Minutes
 9. **Upcoming Agenda Items**
 10. **Adjournment**



Lake Killarney Advisory Board

agenda item

item type	Consent Agenda	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Approve of Meeting Minutes 04-06-22

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[0406.22 Board Meeting Minutes](#)



Lake Killarney Advisory Board Regular Minutes

April 06, 2022 at 10 a.m.

Police Department Training Room
500 N Virginia Ave. Winter Park

Present

LKAB Members: Chair Jeanne Wall, Vice Chair William Voecks, Carolyn Minear, Joyce Cunningham, David Dickerson, Jaqueline Giovannetti (on the phone).

City of Winter Park: Gloria Eby; Director of Natural Resources and Sustainability, Joey Cordell; Lakes Division Manager, Shannon Monahan; Stormwater Engineer, Don Marcotte; Assistant Director Public Works, Victoria Tabor; Recording Secretary

Absent: John Mitchell.

Guest: Bonnie Hanson

(1) Call to Order

Meeting called to order by Chairwoman Jeanne Wall at 10:07 a.m.

(2) Consent Agenda

Motion to approve the agenda by Carolyn Minear, second by David Dickerson. Motion passed unanimously.

Jeanne Wall had some changes to the minutes and passed out a small packet to the members and staff. Motion to approve minutes 3-4-2022. Motion to approve amended minutes with the corrections made by Joyce Cunningham, seconded by David Dickerson. Motion passed unanimously.

(3) Public Comments

Bonnie Hanson lives at 400 Killshore Lane came to speak about solution for a long-standing issue with Killshore Lane. She gave a brief explanation of the history of the road. She came to speak about the issues with it and to get information on what to do next. Bonnie also spoke for Lisa Waddington who lives across the street from her on Killshore Lane and she said that if they get sent a violation notice out to make sure that the city asks for a contact persons information. Bonnie came because the road is crumbling and is going into Lake Killarney and she's looking out for the lake's health.

Jeanne tried to motion for city staff to provide a budget to bring the road to Winter Park standards, to provide information about the ownership, to provide the step to be required to get a judge to allow Killshore Lane to be given to the residents, any information on how to form an HOA, and to assist the residents in a neighborhood meeting discussion and then give them time to make a decision to bring it back to the board. Carolyn made a point about if the board was able to make a motion like this with then being a Lakes Advisory board. So, the board discussed more and came with another motion for staff to work with the residents to come up with a minimum run off solution into Lake Killarney and then bring the status back to the board. Motioned by David Dickerson and second by Carolyn Minear. Motion passed unanimously.

(4) Public Hearings

(5) Action Items

(6) Non-Action Items

1. Letter Sent to city management about report card footnote
2. Stormwater will provide an update on Killshore Lane
3. The Cove raw data
4. Update on Lake Killarney Shores Boat Ramp

(7) Staff Updates

Stormwater Division - Don Marcotte started to give a brief history of the accomplish of stormwater treatment around Lake Killarney starting with the lake alum interconnect chronologically starting from 2001, when Don started, to present day. Pictures were shown on what the lake looks like after a treatment, what the truck looks like with the chemicals in it, and how the chemicals get transported out to the lake. He explained why certain lakes weren't on the CIP list. Board members requested an update on Nicolet pond each meeting with what happens with that pond effects Lake Killarney.

Lakes Division - Gloria spoke about the canal and the second cove being treated for duck weed and saldinia in the past month. She explained about the most recent water samples from January from Orange County. Also, she spoke about the maintenance that the crews do on the lakes. For example, the crews go out on the boats with a trash picker and pick trash out of the lake and they clean out the traps 4 times per month. She gave the board a heads up about a sea wall needing to be discussed for the May meeting. Joey began to give an update on the Lake Killarney Condos site visit and they wanted advice on how they can improve the lake. He brought up about future lake shore planting events to improve the lake quality and the possible event will fall on May 7th.

Due to technical difficulties the recorded died and didn't get the rest of the Lake Division update.

(8) Board Comments

Due to technical difficulties the recorded died and didn't get the board comments.

(9) Adjournment

Meeting adjourned at 12:16pm

Next meeting scheduled for June 6th, 2022 at 10am.

Minutes approved by the board on XX/XX/XXXX.
/s/ Recording Secretary Victoria Tabor



item type	Public Hearings	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

BLDR-2022-0087 265 Rippling Lane - Revision Request

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[265 Rippling Lane](#)

ATTACHMENTS:

[BLDR-2022-0087 Narrative](#)

ATTACHMENTS:

[BLDR-2022-0087 Side Set Back Letter](#)

BLDR-2022-0087
265 Rippling Ln
PERMIT REVISION REQUEST

- Applicant: Brad Hollingsworth
- Contractor: Peter Fleck
- Structure: Dock
- New/Existing: New
- Waterbody: Killarney

Parameters

Dock Parameter	Proposed	Allowed	Variance Req.?
Total Area (ft ²) OHWL	599	600 max	No
Length from OHWL (ft)	50'	50' or 30' for cove	No
Height of Roof (ft above deck)	11'	11 max	No
Height of Deck (ft above OHWL)	1-2'	2 max	No
Enclosures?	No	80 ft ² max (no plumbing/water allowed)	No
Side Yard Setback(s) (ft)	6'	10 min*	Yes
Meet Vegetation Criteria?	Yes	50% may be cleared	No

Staff Recommendation: **Approval**
Reviewed by: Joey Cordell

Map View

Basemap





Aerial View





Photos



Survey



Plans





100 West Plant St.
Winter Garden, FL 34787

Narrative

Address: 265 Rippling Ln Winter Park, FL 34787

Permit Number: BLDR-2022-0087

Date: 4.12.22

To whom it may concern,

We are submitting a side setback letter and an updated site plan. We are needing to move the dock over by 4 ft. So it will be under 10' but over 5'. The neighbors have signed a side setback letter agreeing to this change. We would like this to be reviewed by the board this month so we can continue to work on the boat dock. Please let us know if anything else is needed for submission.

Thank you,
Peter Fleck

To Whom it May Concern,

I, Whitney Balmert Approve and agree to allow the dock being built at 265 Rippling lane to maintain a 6' setback from my property line instead of the standard 10' setback. Please take this letter as my signed approval as the property owner of 271 Rippling Lane.

Signed Whitney Balmert Date 4/7/22

Print Whitney Balmert

Elizabeth J. Hanna Trust By David
J. Hanna
Trustee



Lake Killarney Advisory Board

agenda item

item type	Public Hearings	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

SAP-2022-0005 - 2000 Lake Drive - Sea Wall Application

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[SAP-2022-0005 2000 Lake Drive](#)

SAP-2022-0005

2000 Lake Dr

- Applicant: Robert Kunzweiler
- Contractor: Cove Points Marine Construction
- Permitting Agent: Sean Wydronkowski
- Structure: Seawall
- New/Existing: Existing
- Waterbody: Killarney


Parameters

Parameter	Proposed	Allowed	Variance Req.?
Length (ft)	250'	N/A	N/A
Slope (Horizontal:Vertical)	No revetment	3:1 min; exempt in canal	No
Material	Vinyl Seawall with Concrete Cap	N/A	N/A
Existing Erosion Problem (Yes/No)	Yes	Must have existing erosion problem	N/A
Meet Vegetation Criteria?	Yes or no, needs planting	50% may be cleared	N/A

Staff Recommendation: **Approval**
Reviewed by: Joey Cordell


Map View

Basemap



Vicinity Map

Aerial View



2000 Lake Drive, Winter Park, FL


Photos



Photos



Survey




Aerial View

GENERAL NOTES:


1. PILES TO BE DRIVEN /DRILLED OR JETTED TO A MINIMUM OF 1:1 EXPOSURE.
2. RIGID VINYL PANELS EVERLAST 3.1 (OR EQUAL)
3. ALL HARDWARE TO BE GALVANIZED STEEL.
4. TIE-BACK RODS TO BE GALVANIZED STEEL.

PROJECT AREAS:

- NEW SEAWALL = ±250 LF



Side View





item type	Non-Action Items	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Letter Sent to City Management about Report Card Footnote

item list

Email was sent to city management.

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Letter to City Management](#)

Victoria Tabor

From: Gloria Eby
Sent: Thursday, April 7, 2022 12:23 PM
To: Randy Knight
Cc: Joseph Cordell; Victoria Tabor; Michelle del Valle
Subject: Request from LKAB


Good Afternoon,

At the request of the Lake Killarney Advisory Board, I am passing along their recommendation to modify or footnote that 'lake clarity' on the report card denotes the Winter Park Chain of Lakes. This was facilitated by the Chairperson during their meeting yesterday where the motion to make this recommendation was passed.

Adding to the conversation staff's input to the discussion: The purpose of such KPI's (Key Performance Indicator) is to have general information (as many cities & counties do the same). I provided to the Board Clarity vs TSI (which is more appropriate) and that TSI has been newly implemented for our Department. I shared our vision to build a lake water quality report that will be specific to each lake where such detailed information can properly be displayed. The Board was very happy to know this water quality report is being implemented.

The Board has been copied at the request of Chairwoman Wall.

Thanks!



Under Florida law, email addresses and written correspondence with the city become public record and must be made available to the public and media upon request (unless otherwise exempt). If you do not want your email address to be public record, please contact our office by phone.



item type Non-Action Items	meeting date May 10, 2022
prepared by Victoria Tabor	approved by
board approval	
strategic objective	

subject

Killshore Lane Update

item list

Stormwater will give an update on Killshore Lane

motion / recommendation

background

alternatives / other considerations

fiscal impact



item type Non-Action Items	meeting date May 10, 2022
prepared by Victoria Tabor	approved by
board approval	
strategic objective	

subject

The Cove Raw Data

item list

Lakes will give an update on the data

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Killarney Cove WQ](#)

City of Winter Park	Sample Id	Location Code	Location Name	Collection Date	Collection Time	Work Order Number	Sample Type	Analyte	Result	Result Unit	Qualifier Code	MDL	PQL	Analyte Reference Method	Lab ID	Prep Date/Time	Analysis Date/Time	Analysis Comment	Sample Comment
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	AIRTEMP	25.7	C					FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	CLOUDPERC	0	%					FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	COLLECT_EQUIP	WATER BOTTLE						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	COMMENTS							FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	FLOWMETER							FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	FUELPOWER	Y						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	GRAB	G						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	MATRIX	A						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	PRECIP	1						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	WEATHER	1						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	WINDSPEED	2						FLD04	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Chlorophyll a, corrected	3.1	ug/L	I	2.6	10.3	SM10200H	E43639	2/24/2022 13:47	2/25/2022 9:39		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Atmospheric Pressure	764	mmHg					E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Depth, Bottom	4.1	m					E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Depth, Secchi Disk	3.67	m				FDEP FT1700	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Depth	9.5	m				FDEP FT1500	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Dissolved Oxygen (DO)	9.5	mg/L				FDEP FT1500	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Dissolved Oxygen SAT	115.3	%				FDEP FT1500	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	pH	8.3	None				FDEP FT1100	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Sample Depth	0.5	m					E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Specific	233	umhos/cm				FDEP FT1200	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Conductance	23.4	m				FDEP FT1400	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Field	Temperature, Water	23.4	C				FDEP FT1400	E43639	2/24/2022 11:15	2/24/2022 11:15		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Alkalinity	85	mg/L as CaCO3		2	2	SM2320B	E53398	3/7/2022 21:57	3/7/2022 21:57		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Color, True	10	PCU		2	8	SM2120B	E43639	2/24/2022 15:30	2/24/2022 16:25		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Escherichia Coli	1	mpn/100 ml		1	1	SM9223B	E43639	2/24/2022 14:17	2/25/2022 15:14		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Total Nitrogen	0.51	mg/L as N		0.009	0.05	EPA351.2	E53398	3/1/2022 14:59	3/1/2022 14:59		
	AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Phosphorus as P	0.013	mg/L as P	I	0.006	0.02	EPA365.1 - 28 Days	E53398	3/2/2022 10:51	3/2/2022 10:51		

AC20235	HB71	Lake Killarney (North Lobe, City of Winter Park)	2/24/2022	11:15:00 AM	2022-02-24-002	Sample	Turbidity	0.55	NTU	0.1	0.1	EPA180.1	E53398	2/24/2022 13:41	2/24/2022 13:41
---------	------	--	-----------	-------------	----------------	--------	-----------	------	-----	-----	-----	----------	--------	-----------------	-----------------



Lake Killarney Advisory Board

agenda item

item type	Non-Action Items	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Lake Killarney Shores Boat Ramp - UPDATE

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lake Killarney Advisory Board

agenda item

item type	Staff Updates	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Lakes Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:



[2022.5 LKAB Lakes Update](#)

ATTACHMENTS:


[Killarney WQ May 2022](#)

LAKE UPDATE:


- .1 acres of water hyacinth were treated by Dell Massie and Mike Ruby. Hyacinth was scattered in low quantities around the perimeter.
- Water samples: collected for both the lake and the cove and submitted to the Orange County Lab. Feb data was received and update.
- Maintenance and efforts: 250 gallons of trash and 330 gallons of leaves and debris from traps for April. Lakes crew inspected and cleaned traps 4x this month.
- Drop in water level noticed by city staff and reported by a resident. Repairs were made to drainwell. Elevation is currently 81.9
- Aquatic Planting Event scheduled for May 7th.
- Cove data received and updated.



Chlorophyll a Lake Killarney



Secchi Depth Lake Killarney





Lake Killarney Advisory Board

agenda item

item type	Staff Updates	meeting date	May 10, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Stormwater Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Stormwater Update May 2022.pdf](#)

Stormwater Staff Update

Lake Killarney Advisory Board – May 2022

- Capital Improvement Projects
 - No new updates to CIP as it pertains to Lake Killarney.
 - The updated CIP table is included in this month's agenda packet.
- Kilshore Lane
 - Continued communication between the City and residents as we identify different action plans.
 - Cost estimate to repave and curb the drive is TBD.

CITY OF WINTER PARK - STORMWATER CAPITAL IMPROVEMENT PROJECTS UPDATE

ACCT #	CIP Title & Description	Original Year Funded	Current Balance	Status/Comments
565200	Drainage Improvements - Recent years of unusually heavy rainfall events have revealed several substandard drainage conditions in various locations throughout the City.	Annually Funded	\$166,063	Several in-house drainage improvements projects to be scheduled for 2021-22, Ward Park ponds construction, Canton at Knowles intersection, and Pinetree Rd and Via Amalfi, Palmer at Old England outfall repair, stormwater outfall dredging at various locations as needed.
				1) <u>Pinetree Rd and Via Amalfi</u> - The City will replace the existing substandard and deteriorated drainage system, as well as add an inlet and curbing. Estimated cost \$50k. Construction anticipated to be complete by end of March.
				2) <u>Palmer at Old England outfall repair</u> - A video inspection to be scheduled to determine the existing condition of the outfall pipe. Design and construction will be scheduled as needed. Estimated cost \$20k.
				3) <u>Stormwater Outfall Dredging</u> - There is a need to dredge sedimentation accumulated for several years near the Alexander Place and Morse Boulevard stormwater outfalls. Estimated cost \$50k.
				4) <u>Ward Park ponds construction</u> - Estimated cost \$150k. NE Pond excavation to be completed by end of March, and the NW Pond to be completed and pipe Installed by end of April.
				5) <u>Canton at Knowles intersection</u> - The City will design and construct another stormwater trunk line to relieve the localized flooding which occurs at the intersection during heavy rainfall events. Estimated cost \$200k.
565203	Lk. Bell Weir Outfall Improvements -	2009	\$69,223	Repairs may be required on the Lake Bell outfall weir, will continue to assess the condition in 2022. Currently investigating grouting options.
565221	Seminole County Ditch Piping (along Arbor Park Dr) – Drainage ditch behind the homes along Arbor Park Drive has a shared drainage basin with Seminole County. Funding is provided for the design and construction to pipe the ditch.	2016	\$733,395	The Interlocal Agreement was approved by the City Commission on October 13, 2021 and by the Seminole County Commission on December 14, 2021. Complete the design (including Geotech & Survey) by end of June.
565233	2410 Winter Park Rd. Pond	2020	\$7,352	The pond excavation is complete. Construction of the stormwater conveyance and pond outfall systems has resumed.
	TOTALS			
	3023406 ACTIVE STORMWATER CIP's		\$976,032.81	BALANCE TOTAL



Lake Killarney Advisory Board

agenda item

item type Board Comments	meeting date May 10, 2022
prepared by Victoria Tabor	approved by
board approval	
strategic objective	

subject

Future Agenda Items

motion / recommendation

background

alternatives / other considerations

fiscal impact