



Lakes & Waterways Advisory Board Regular Meeting

Agenda

June 14, 2022 @ 12:00 pm

City Hall Commission Chambers
401 S. Park Ave.

welcome

Agendas and all backup material supporting each agenda item are accessible via the city's website at cityofwinterpark.org/bpm and include virtual meeting instructions.

assistance & appeals

Persons with disabilities needing assistance to participate in any of these proceedings should contact the City Clerk's Office ([407-599-3277](tel:407-599-3277)) at least 48 hours in advance of the meeting.

"If a person decides to appeal any decision made by the Board with respect to any matter considered at this hearing, a record of the proceedings is needed to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." (F.S. 286.0105).

please note

Times are projected and subject to change.

-
1. **Call to Order**
 2. **Consent Agenda**
 - a. Approve Minutes from May 17th, 2022 meeting 2 Minutes
 3. **Public Comments (for items not on the agenda): Three minutes allowed for each speaker**
 4. **Public Hearings**
(Public participation and comment on these matters must be in-person.)
 - a. Riprap Application 641 Bonita Drive 10 Minutes
 5. **Staff Updates**
 - a. Winter Park Police 5 Minutes
 - b. Lakes Management 10 Minutes
 - c. Stormwater Management 10 Minutes
 6. **Non-Action Items**
 7. **Action Items**
 - a. Vote for New Chair and Vice Chair 5 Minutes
 - b. Information signs put up at the ramp's 5 Minutes
 - c. CIP 5 Year Plan 5 Minutes
 - d. Boat Regulations - Update 5 Minutes
 - e. Lake Spier Prohibiting Motorboats 5 Minutes
 8. **Board Comments**
 9. **Upcoming Agenda Items**
 - a. Discussion of Upcoming Agenda Items 5 Minutes
 10. **Adjournment**



Lakes & Waterways Advisory Board

agenda item

item type	Consent Agenda	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Approve Minutes from May 17th, 2022 meeting

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[05.10.2022 Lakes & Waterways Board Meeting Minutes](#)



Lakes & Waterways Advisory Board

Regular Minutes

May 17, 2022 at 1:30 p.m.

Public Safety Building
500 N. Virginia Ave. | Winter Park, Florida

Present

LWAB: Warren Bloom, Robert Bendick, Lindsay Eriksson Siddiqui, Justin Vermuth, William Swartz

City Staff: Gloria Eby; Director of Natural Resources and Sustainability, Don Marcotte; Assistant Director of Public Works, Shannon Monahan; Engineer, Joey Cordell; Lakes Division Manager, Luke Hofer; Sr. Officer Winter Park Police Department, Melissa Meade; Admin Coordinator/Recording Secretary, Victoria Tabor; Admin Coordinator/Recording Secretary

Absent: Ed Webman and Pamela Saffran.

Before meeting was called to order, Gloria Eby expressed to the board on how important it was for the members to be present. Permits have to be approved 60 days from being submitted and requires quorum of 4 members in-person. She added a new Chair and Vice Chair will need to be voted on at the June meeting.

(1) Call to Order

Meeting called to order by Warren Bloom at 1:51 p.m.

(2) Consent Agenda

Motion to approve minutes 03-08-22. Motion to approve made by Lindsay Siddiqui, seconded by Robert Bendick. Motion passes unanimously.

(3) Public Comments (for items not on the agenda): Three minutes allowed for each speaker

(4) Public Hearings

BLDR-2022-0333 2080 Saint George Ave - Request to update existing dock by Julie Champion

Joey Cordell explained the application for review, where it is located, and the parameters. He mentioned that it did not meet vegetation requirements. The board was shown the base map, aerial view, current photos of the dock, survey, and plans. Staff approves application with planting. Motion to approve with planting made by William Swartz, seconded by Warren Bloom. Motion passed unanimously.

BLDR-2022-0238 147 Virginia Dr. - Request to update existing boathouse by Scott Bates

Joey Cordell explained permit was for a boathouse and that the applicant is wanting to tear down the existing and build a new one in the same location. The board was shown the base map, aerial view, current photos of the dock, survey, and plans. Staff approves application with planting. Board members had some questions/concerns about the dock placement and the staff answered the questions. A representative for the applicant provided similar comments to what staff mentioned about permit meeting all requirements. Motion to approve with planting made by William Swartz, seconded by Warren Bloom. Motion passed unanimously.

SAP-2022-0008 115 Palmer Ave. - Request to install new riprap by Jim Henderson

Joey Cordell explained to the board that the application is a new riprap revetment on Lake Maitland. All of the parameters are within limit but vegetation fails criteria; the applicant will need to do some planting. The board was shown different map views, photos of the property, survey, aerial view, and side view. The board had

questions/concerns and staff answered them. Motion to approve with planting made by Lindsay Eriksson Siddiqui, seconded by Justin Vermuth. Motion passed unanimously.

SAP-2021-0043 1013 Temple Grove - Update on Application for new riprap by Renee Gilmore

Gloria Eby gave an update to the board about this permit and its history. There was a glitch in the permitting system where it released the permit for the applicant to pay before the permit was presented to the board for approval. After finding it out permit was prematurely released, staff contacted applicant's authorized agent stating to refrain from doing any work. However, the work was already completed. Staff worked with the applicant to a) bring it to code and b) bring it to how staff would have approved it which included plantings and removing rip-rap in cypress knee areas. After remediation was provided, photos were taken and provided during presentation. The permit application was presented to the board for approval after remedial work was completed and fixed. Motion to approve made by William Swartz, seconded by Lindsay Eriksson Siddiqui. Motion passed unanimously. Gloria added that the permitting system was revamped in effort to prevent permit being issued prior to board approval and this happening again.

BLDR-2021-1989 1661 Chase Landing - Request to update existing boathouse by Ketan Pandya

Joseph Cordell explained this is a replacement of an existing dock on Lake Berry. The board was shown the base map, aerial view, current photos of the dock, survey, and plans. Joey went through the parameters and stated it meets everything but vegetation criteria and that it exceeded the allowable total surface area. The applicant received a variance letter (provided) for the total surface area from the board of adjustments however will still need to plant aquatic plants. A contractor for the applicant spoke about the property to the board members and staff providing that there was a glitch in the system for them as well that pushed the permit through. As construction started, a neighbor complained and that's how the applicant found out about all of the hoops they had to go through before the construction was supposed to start. The applicant tore down what they had built, to move it to the other side, and came up with new plans. Motion to approve with planting made by William Swartz, seconded by Robert Bendick. Motion passed unanimously.

(5) Staff Updates

Winter Park Police - Luke Hofer, Sr. Officer with the Winter Park Police Department, provided an update related to lakes patrol. He mentioned that he has given out 11 citations, 18 warnings, 48 safety inspections, and 55 vessel stops since the month of April. During Luke's update, discussion was brought up about boat regulations. Current boat length regulation is 21-feet for a boat on the chain of lakes however pontoon and sailboats are allowed to be 24-feet in length. Staff received complaints from residents living on the lakes trying to purchase a new boat, however most boats that will accommodate a family of 4 will violate current regulation and requested modernizing the regulation to the size of boats today. Staff researched regulations and popular boating manufacturers and recommended to update the language to meet the National Oceanic and Atmosphere Administration (NOAA)- Office of Marine and Aviation Operations to state Class 1 boats instead of a specific length for each vessel type as current language reads. Board expressed their concerns about the environment with the boat wakes. Luke and Gloria stated that the size of the boat doesn't determine the size of the wake (small wake boats are designed to produce a larger wake) and that manufacturers now are making boats bigger than 21-feet long. The board and staff went back and forth on the size of the boat and Florida laws and concluded that changing the regulation to 24-feet long, to match pontoon and sailboat length, would be appropriate. A member of the board was wondering how other communities are handling the different size wakes mentioning the environmental impacts that the wakes cause. Gloria mentioned studies that have been conducted by Dr. Harvey Harper on the different types of boats/wake and the detriment it causes specifically to clarity of the lakes. Gloria was asked how other communities handled this and responded that there hasn't been a case where there was prejudice against a particular type of boat such as wake boats. Some lake communities have tried to restrict certain boats to deeper water, beyond 15-feet, because of the wake damage and that by keeping large wakes off the shoreline will help reduce environmental impacts. Motion to bring back item upon next meeting, with a change in the regulation to 24-feet long with 8.5 feet wide boat beam, was made by Warren Bloom, seconded by Robert Bendick. Motion passed unanimously.

Lakes Management - Gloria started the lakes update with talking about the closure of Ft. Maitland boat ramp being closed for five months. A city-wide post card went out to all the residents of Winter Park to let them know that the ramp will be closed for that duration since the lakes can be used by others and the only posting about it was on the website and not everybody goes on the website. This post card also contained a link to sign up for lake notifications/alerts. Dinky Dock was also recently closed due to bacterial count (non HABs) but can still be

used for boat ramp access due to other docks being closed (such as Lake Ivanhoe). Since Dinky Dock is such a small footprint, parking has caused an issue. There have been several invasive herbicide treatments, the most successful one is the cabomba in Lake Maitland which is now a part of FWC's work plan for reimbursement. Hydrilla has been observed around several lakes, for example: Minnehaha, Sue, Virginia, Lake Maitland, Berry, and Nina. Postponement for hydrilla treatment were required at Lake Maitland outfall into Howell Creek near Lake Waumpi due to flows and Lake Sue due to the HAB alert issued in February. The levels of the HAB on Lake Sue is lower with each sample collected to date. Artificial turf is becoming an issue with the runoff because they were not installed properly. An ordinance is in the works for review by the board and will also be reviewed by the Keep Winter Park Beautiful and Sustainable Advisory Board.

Stormwater Management - Shannon started off with giving a recap on watershed cleanups with Sara Miller (Sustainability Manager) and the importance that these cleanups have on the watershed. Some of the cleanup statistics were provided: in 2 hours 60 lbs. of trash was picked up at the Howell Branch Preserve and during the Winter Park SWAT Team cleanup event there was 260 lbs. of trash that was removed. Shannon handed out drawings she put together for Dinky Dock parking lot options to the board for reference and opinion. Don handed out updated Capital Improvement Project spreadsheet and spoke about all of the projects that are happening and planned. Don mentioned that for the next meeting he will provide a 5-year plan.

(6) Non-Action Items

(7) Action Items

1. Vote for new Chair and Vice Chair
2. Information signs put up a ramp's
3. CIP 5 Year Plan
4. Boat Regulations - Update
5. Lake Spier Prohibiting Motorboats

(8) Board Comments

(9) Adjournment

Meeting adjourned at 3:17pm

Next meeting scheduled for June 14th,2022 (in person only)

Minutes approved by the Board on mm/dd/yyyy.
/s/ Recording Secretary Victoria Tabor



Lakes & Waterways Advisory Board

agenda item

item type Public Hearings (Public participation and comment on these matters must be in-person.)	meeting date June 14, 2022
prepared by Victoria Tabor	approved by
board approval	
strategic objective	

subject

Riprap Application 641 Bonita Drive

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

SAP-2022-0003 641 Bonita Drive



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS

SAP-2022-0003

641 Bonita Drive

- Applicant: Harry and Jacqueline Pappas
- Contractor: Hodgskin Outdoor Living
- Structure: Riprap
- New/Existing: Existing
- Waterbody: Osceola


Parameters

Parameter	Proposed	Allowed	Variance Req.?
Length (ft)	88'	N/A	N/A
Slope (Horizontal:Vertical)	2:1	3:1 min	No
Material	Vinyl seawall with riprap	N/A	N/A
Existing Erosion Problem (Yes/No)	Yes	Must have existing erosion problem	N/A
Meet Vegetation Criteria?	Yes	50% may be cleared	N/A

Staff Recommendation: **Approve with State Permit Exemption**
Reviewed by: Joey Cordell

Map View

Basemap




Aerial View




Photos




Survey



Aerial View



Side View



EXECUTION AND CLERKING

Executed in Orlando, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Teayann Duclos
Environmental Manager
Permitting and Waste Cleanup Program

Enclosures:

Exempt Activities, Chapter 62-330.051(12), Florida Administrative Code
Project Drawings, 4 pages


CERTIFICATE OF SERVICE

The undersigned duly designated deputy clerk hereby certifies that this document and all attachments were sent on the filing date below to the following listed persons:

Alexandra Davis, FDEP, Alexandra.K.Davis@FloridaDEP.gov
Teayann Duclos, FDEP, Teayann.Duclos@FloridaDEP.gov
Orange County, Neal.Thomas@ocfl.net
Sheila Cichra, Agent, Sheilacichra@gmail.com

FILING AND ACKNOWLEDGMENT

FILED, on this date, pursuant to Section 120.52, F. S., with the designated Department Clerk, receipt of which is hereby acknowledged.



Clerk

May 11, 2022
Date

62-330.051 Exempt Activities.

The activities meeting the limitations and restrictions below are exempt from permitting. However, if located in, on, or over state-owned submerged lands, they are subject to a separate authorization under chapters 253 and 258, F.S., as applicable.

(12) Construction, Replacement, Restoration, Enhancement, and Repair of Seawall, Riprap, and Other Shoreline Stabilization –

- (a) Construction, replacement, and repair of seawalls or riprap in artificially created waterways under section [403.813\(1\)\(i\), F.S.](#), and within residential canal systems legally in existence under chapter 403 or part IV of chapter 373, F.S., including only that backfilling needed to level the land behind seawalls or riprap.
- (b) The restoration of a seawall or riprap under section [403.813\(1\)\(e\), F.S.](#), where:
 - 1. The seawall or riprap has been damaged or destroyed within the last year by a discrete event, such as a storm, flood, accident, or fire or where the seawall or riprap restoration or repair involves only minimal backfilling to level the land directly associated with the restoration or repair and does not involve land reclamation as the primary project purpose. See section 3.2.4 of Volume I for factors used to determine qualification under this provision;
 - 2. Restoration shall be no more than 18 inches waterward of its previous location, as measured from the waterward face of the existing seawall to the face of the restored seawall, or from the waterward slope of the existing riprap to the waterward slope of the restored riprap; and
 - 3. Applicable permits under chapter 161, F.S., are obtained.
- (c) The construction of seawalls or riprap in wetlands or other surface waters between and adjoining existing seawalls or riprap at both ends in accordance with section [403.813\(1\)\(o\), F.S.](#) For purposes of this exemption, riprap is subject to the same length and orientation limitations as a seawall.
- (d) Installation of batter piles, king piles, or a seawall cap, used exclusively to stabilize and repair seawalls, provided they do not impede navigation.
- (e) Restoration of an eroding shoreline with native wetland vegetative enhancement plantings, provided:
 - 1. The length of shoreline is 500 linear feet or less;
 - 2. Plantings are native wetland plants appropriate for the site obtained from commercially-grown stock;
 - 3. Plantings extend no farther than 10 feet waterward of the approximate mean high water line (MHWL) or ordinary high water line (OHWL);
 - 4. All invasive and exotic vegetative species along the shoreline is removed in conjunction with the planting to the extent practicable;
 - 5. Biodegradable natural fiber logs or mats that are secured in place, such as with the use of wooden stakes, may be used if necessary to support the vegetative plantings; and
 - 6. No fill is placed other than that needed to support the vegetative plantings, except that a is authorized to be installed concurrent with the planting if permanent wave attenuation is required to maintain the shoreline vegetation, provided:
 - a. The waterward toe of the breakwater extends no more than 10 feet waterward of the approximate MHWL or OHWL, with a top height of no more than the mean or ordinary high water elevation;



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Winter Park Police

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Lakes Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Lakes Update 2022.6](#)

ATTACHMENTS:

[Fertilize Responsibly Summer 2022 Orange County messages](#)



Lakes and Waterways Advisory Board

June 2022

LAKE UPDATE

- Treatments:
 - 28 acres of Hydrilla was treated on Lake Sue in coordination with City of Orlando and Orange County.
 - Lake Berry is scheduled for 2 hydrilla treatments, 4 weeks apart. East-West split treatment to prevent drop of Dissolved Oxygen.
 - Hydrilla at Lk Maitland outfall and into Howell Creek near Waumpi was treated.
- Aquatic plants installed at MLK park.
- Update on Lake Sue Hazardous Algal Bloom (HAB) Event.



Fertilize Responsibly - Summer 2022 Messages for Social Media & Newsletters

The goal of these messages is to raise awareness about changes to Orange County's Fertilizer Management Ordinance (Chapter 15, Article XVII) that go into effect on June 1, 2022. The ordinance aims to help prevent water pollution in our lakes, rivers, springs and aquifer. While the ordinance also restricts phosphorus in fertilizer, this year the messages are emphasizing nitrogen restrictions, both during the summer (do not apply nitrogen) as well as the non-summer months (fertilizer with nitrogen must be at least 65% slow release type).

*Please use the prepared mix-and-match images that have been vetted for consistency with the ordinance's provisions. These **images are available for download** at <https://ocfl.box.com/s/rvi81vc5jy1vs3pvvgfnjxusxco9mdde>.*

Thank you in advance for helping spread the word! If you have any questions, please contact fertilizer@ocfl.net.

1. Social Media 175 Characters:

Have a healthy lawn without polluting our lakes, rivers and springs. Skip the nitrogen fertilizer from June 1 to September 30. Learn more at www.ocfl.net/FertilizeResponsibly.

2. Social Media 233 Characters:

Summer rains cool us down, but they also wash fertilizer off our yards and fuel algae growth in our lakes, rivers and springs. Skip the nitrogen fertilizer from June 1 to September 30. Learn more at www.ocfl.net/FertilizeResponsibly.

3. Social Media 292 Characters:

Orange County's fertilizer rules help keep nitrogen out of our lakes, rivers and springs. There are lots of ways to green up your yard without greening up our natural waters with algae. Skip the nitrogen fertilizer from June 1 to September 30. Learn more at www.ocfl.net/FertilizeResponsibly.

4. Newsletters and/or email 39 words (*Suggested image: Fertilizer Rules Info Card*)

Summer Yard Care for Clean Waterways

Summer's coming, so open your umbrellas and close your bags of nitrogen fertilizer. Orange County has updated its ordinance to help protect our local water bodies from pollution and algae blooms. Learn more on Orange County's [Fertilize Responsibly](http://www.ocfl.net/FertilizeResponsibly) webpage.

5. Newsletters and/or email 114 words

New Summer Yard Care Rules

We all know a healthy lawn adds to the beauty of our home. At the same time, clean lakes, rivers and springs add to the beauty, ecology and economy of our community. How can we achieve both? One way is by adhering to Orange County's rules when it comes to applying fertilizer.

These rules changed on June 1, 2022. In order to protect our waterbodies from pollution and algae blooms, fertilizer containing nitrogen cannot be used during the rainy summer months. There are lots of ways to have a healthy lawn year-round that do not harm the environment. Want to find out more? Visit Orange County's [Fertilize Responsibly](#) webpage.

Additional Information

Summary of key fertilizer rules:

June 1 to September 30: Only apply fertilizer with zero nitrogen and zero phosphorus.

October 1 to May 1: Fertilizer containing nitrogen is permitted. However, it must contain at least 65% slow release nitrogen.

Always do the following:

- Keep fertilizer at least 25 feet from natural water bodies.
- Limit each application to one pound total nitrogen per 1,000 square feet (maximum three pounds per year)
- Use zero phosphorus unless a soil test shows a deficiency.

Here are some examples of summer-compliant fertilizers seen in local stores:

Company	N-P-K	Nutrient
Austin Limestone	0-0-0	Mg & Ca (magnesium and calcium)
Howard Fertilizer and Chemical	0-0-7	K (potassium)
Soil Doctor	0-0-0	n/a
Sunniland	0-0-0	Mg & Ca (magnesium and calcium)



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Stormwater Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

UPDATED SW_update June 22

Staff Update

Stormwater Management

Stormwater Management - 5 Year Plan

CITY OF WINTER PARK SUMMARY OF CAPITAL PROJECTS STORMWATER CAPITAL PROJECTS FUND

Approved by the City Commission on _____

Description	Estimated 5 Yr. Contibution	Current Balance	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	Est. Cost
Stormwater Improvements - Various in-house stormwater projects scheduled for 2022-23 - Shultz Avenue pipe repair, Greentree Drive, Cherokee Avenue drainage improvements, dredging various stormwater outfalls	950,000	43,125	150,000	200,000	200,000	200,000	200,000	Ongoing
N Lakemont Seminole County Ditch Piping - cost share with Seminole County	-	733,395						737,600 City portion
Temple Dr Drainage Improvements	500,000					250,000	250,000	1,200,000
Winter Park Road Drainage Improvements	-	1,167						100,000
Lake Bell Weir Outfall Improvements	-	69,223						
Canton at Knowles Drainage Improvements	250,000				250,000			250,000
Curb Implementation	250,000		50,000	50,000	50,000	50,000	50,000	500,000
CDS Unit on Fawsett Road	200,000			200,000				200,000
Ward Park Ponds	300,000		300,000					300,000
Corrugated Metal Pipe Replacement	600,000				200,000	200,000	200,000	600,000
Nicolet Avenue Stormwater Pond	200,000		200,000					200,000
Stirling Bridge Replacement	250,000			250,000				250,000
Enterprise Resource Program Software Replacement (ERP)	-							
Totals	3,500,000	976,033	700,000	700,000	700,000	700,000	700,000	



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Vote for New Chair and Vice Chair

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Information signs put up at the ramp's

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

CIP 5 Year Plan

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Boat Regulations - Update

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Sec. 114-78. Size of boats](#)

ATTACHMENTS:

[Length of Vessel By Class Office of Marine and Aviation Operations](#)

Sec. 114-78. Size of boats.

The maximum length of any boat to be launched or operated on the city chain of lakes shall not exceed ~~21 feet, with the exception of pontoon boats and sail boats, which shall not exceed~~ 24 feet with the exception of city vessels that is used for official business. No boat exceeding a width of ~~eight~~ 8.5 feet shall enter any canal. All power boat operators must comply with the maximum horsepower and maximum occupant capacity as stated on the manufacturer's capacity plate of that boat.

(Code 1960, § 7-26; Ord. No. 2016, § 3, 8-24-93; Ord. No. 2433-01, § 1, 8-14-01; Ord. No. 2569-04, § 1, 2-23-04)

Length of Vessel By Class

Small Boat Categories

SMALL BOAT CATEGORY	DEFINITION
<i>Class A</i>	<i>less than 16 feet length overall</i>
<i>Class I</i>	<i>16 to less than 26 feet length overall</i>
<i>Class II</i>	<i>26 to less than 40 feet length overall</i>
<i>Class III</i>	<i>40 to 65 feet length overall</i>
<i>Small Research Vessel (SRV)</i>	<i>greater than 65 feet length overall but less than 300 gross tons</i>

You are here: <https://www.oma.noaa.gov/learn/small-boat-program/resources/length-vessel-class>

Reviewed: December 2, 2015. **Contact us** with page issues.

*ac: "Access controlled" content.



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	June 14, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Lake Spier Prohibiting Motorboats

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Lake Spier Prohibiting Motorboats](#)



Lakes and Waterways Board Minutes

April 13, 2021

Hybrid 12:00pm
Commission Chamber

Board Member Attendance

Steve DiClemente, Robert Bendick, Lindsay Eriksson Siddiqui, Paul Missigman, Debbie Cunningham, Tom Smith

Call to Order

Meeting called to order by Chairman DiClemente at 12:00pm

Consent Agenda

[Approve Minutes 0309.21](#) – Motion made by Tom Smith to approve the minutes; with the corrections of Debbie Cunningham's attendance at the last meeting; seconded by Paul Missigman motion carried unanimously.

Staff Updates

- **Winter Park Police Patrol**
Nothing to Report
- **Sustainability- Vanessa Balta Cook**
Sustainability is continuing to encourage self-guided cleaning of lakeshores. The storm drain marking program is almost complete. Virtual Earth Day, drive through for collection household hazardous waste and pick up trees, and take-home projects.
- **Lakes Management- Tim Egan/Megan Johansson**
Routine surveys, routine lake treatment. Staff is currently working on the 2020 lake fact sheets.
- **Storm Water Management- Don Marcotte/Matt Noonon**
Don Marcotte provided a video created by the City's Communication Dept of the Ward Park ball field drainage project.
- **WP Police Lakes Patrol- Lt. John Bologna**
Nothing to report

Action Items

[SAP-21-07: Request of Jonathan Cole for revetment application at 721 Virginia Dr. on Lake Virginia.](#)

Staff provided details of the application answered questions and suggested approval; after discussion.

Motion to approve application SAP-21-07 made by Debbie Cunningham; seconded by Tom Smith Motion passed unanimously.

[Proposed changes to Sec. 11147-65- Motorboats prohibited on Certain Lakes](#)

Residents of Lake Spier petitioned the board to amend the current ordinance to include Lake Spier to the list of lakes prohibiting motorboats. The modification also removes old language regarding Lake Baldwin. Board members inquired about notice to all the lake front property

owners on Lake Spier. Cynthia Caldwell of 1702 Glenridge Way informed the board of the petition from property owners.

Motion made by Debbie Cunningham to approve the proposed ordinance modification to include no motor boats on Lake Spier with the condition that all lakefront property owners are notified of the Commission Meeting for the ordinance change, seconded by Paul Missigman. Motion carried unanimously

Public Hearings

Board Comments

Bob Bendick informed the board of the City Nature Challenge event taking place at the end of the month.

Adjournment

Motion made by Debbie Cunningham to adjourn the meeting seconded by Paul Missigman meeting adjourned at 12:28pm

Next meeting scheduled for May 11, 2021 @ 12:00pm



Lakes & Waterways Advisory Board

agenda item

item type Upcoming Agenda Items	meeting date June 14, 2022
prepared by Victoria Tabor	approved by
board approval	
strategic objective	

subject

Discussion of Upcoming Agenda Items

motion / recommendation

background

alternatives / other considerations

fiscal impact