



Lakes & Waterways Advisory Board Regular Meeting

Agenda

May 17, 2022 @ 1:30 pm

Public Safety Building
500 N. Virginia Ave

welcome

Agendas and all backup material supporting each agenda item are accessible via the city's website at cityofwinterpark.org/bpm and include virtual meeting instructions.

assistance & appeals

Persons with disabilities needing assistance to participate in any of these proceedings should contact the City Clerk's Office ([407-599-3277](tel:407-599-3277)) at least 48 hours in advance of the meeting.

"If a person decides to appeal any decision made by the Board with respect to any matter considered at this hearing, a record of the proceedings is needed to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." (F.S. 286.0105).

please note

Times are projected and subject to change.

-
1. **Call to Order**
 2. **Consent Agenda**
 - a. Approve Minutes from March 8th, 2022 meeting 2 Minutes
 3. **Public Comments (for items not on the agenda): Three minutes allowed for each speaker**
 4. **Public Hearings**
 - a. Dock Application 2080 Saint George Ave 10 Minutes
 - b. Boathouse Application 147 Virginia Drive 10 Minutes
 - c. Riprap Revetment Application 115 Palmer Ave 10 Minutes
 - d. Riprap Application 1013 Temple Grove - Update 10 Minutes
 - e. Boathouse Application 1661 Chase Landing 10 Minutes
 5. **Staff Updates**
 - a. Lakes Management 10 Minutes
 - b. Stormwater Management 10 Minutes
 - c. Winter Park Police 5 Minutes
 6. **Non-Action Items**
 7. **Action Items**
 - a. The Killarney Cove Raw Data 5 Minutes
 - b. Boat Regulations 5 Minutes
 8. **Board Comments**
 9. **Upcoming Agenda Items**
 - a. Future Agenda Items 5 Minutes
 10. **Adjournment**



Lakes & Waterways Advisory Board

agenda item

item type	Consent Agenda	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Approve Minutes from March 8th, 2022 meeting

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[03.08.2022 Board Meeting Minutes](#)



Lakes & Waterways Advisory Board

Regular Minutes

March 08, 2022 at 12:00 p.m.

City Hall | Commission Chambers
401 S. Park Ave. | Winter Park, Florida

Present

LWAB Chair Debbie Cunningham, Robert Bendick, Paul Missingman, Warren Bloom, Lindsay Eriksson Siddigui (Virtual)

City Staff: Gloria Eby; Director of Natural Resources and Sustainability, Jake Allman; Interim Lakes Manager, Don Marcotte; Assistant Director of Public Works, Shannon Monahan; Engineer, Joey Cordell; Lakes Division Manager, Luke Hofer; Sr. Officer Winter Park Police Department, Melissa Meade; Admin Coordinator/Recording Secretary, Victoria Tabor; Admin Coordinator/Recording Secretary

Guest: Pam Saffran future appointment for LWAB.

(1) Call to Order

Meeting called to order by Chairwoman Debbie Cunningham at 12:06 p.m.

(2) Consent Agenda

Motion to approve minutes 02-08-22. Motion to approve made by Warren Bloom, seconded by Robert Bendick. Motion passes unanimously.

(3) Public Hearings

BLDR-2022-0122 921 Osceola Avenue - Request to install new boathouse by Brian and Sarah Grandstaff

Jake Allman spoke about the parameters on how what was proposed are in the allowed limit. City of Winter Park staff recommended for approval. The Board asked questions and had concerns and the Jake Allman and Gloria Eby answered. Motion to approve permit as long as the plans a) be at current code for roof slope, b) show removal of current dock, c) the detail drawings be resubmitted made by Warren Bloom, seconded by Paul Missingman. Motion passed unanimously.

SAP-2022-0001 909 Greentree Drive - Request to install new riprap by Frank Gay

Jake Allman spoke about the parameters on how what was proposed are in the allowed limit. City of Winter Park staff recommended for approval. The Board had no questions. Motion to approve, with provided vegetation requirement, made by Paul Missingman, seconded by Robert Bendick. Motion passed unanimously.

SAP-2022-0003 641 Bonita Drive - Request to update existing riprap by Harry and Jacqueline Pappas

Jake Allman spoke about the parameters and recommended deny as presented. The Board asked questions and Jake Allman and Gloria Eby answered. The applicant's agent, present by phone, clarified what they were proposing to do. Gloria Eby proposed for the applicant to resubmit the application for April's meeting.

SAP-2021-0043 1013 Temple Grove - Update on Application for new riprap by Renee Gilmore

Jake Allman provided an update to the Board that a permit was issued by the permitting system however the permitting agent was contacted and knew the work should not be performed until the Board approved the application. The Board wanted assurances that the permitting system would be fixed. Gloria Eby advised the undertaking taken place by several teams to make improvements and creating stop-checks to prevent from happening in the future. She suggested to allow staff to conduct an onsite meeting to be held with applicant and suggested based upon inspection/meeting, the application be resubmitted as the current plans need to meet

recommendations. Adjacent neighbors of the property spoke about concerns for the lake construction activities. Lakes staff would be inspecting the area while under construction.

(4) Public Comments (for items not on Agenda)

(5) Staff Updates

Lakes Management - Gloria Eby made introductions in the beginning of the Lakes update. She introduced Pam Saffran, who was in the audience as a new Board member to replace Chace Heavener, she introduced Joey Cordell as the new Lakes Division manager, and Victoria Tabor as the administrative coordinator for the Department of Natural Resources and Sustainability. Gloria gave an update on hydrilla in the following lakes: Bell, Mainland, Nina, Forest, and Lake Sue. She went into explaining about Lake Sue Hazardous Algal Bloom (HAB) reporting and how messaging was taking place to advise the residents. Watershed Atlas website was presented to the Board providing instruction on how to attain data for lakes.

Winter Park Police - Luke Hofer, Sr. Officer with the Winter Park Police Department, updated the Board about getting back out to patrol the lakes again at the end of March for on-season. Due to complaints of certain activities, the Police Department wanted to have more presence on the water. Luke is looking into the possibility of having a full-time officer seven days a week.

Stormwater Management - Don Marcotte provided an update about the following project happening around the city: Pine Tree Road stormwater drainage improvement; Stormwater pond being built at the east end of Ward Park; After Pine Tree project is finished, a new project will be starting on Winter Park Road.

(6) Non-Action Items

(7) Action Items

(8) Board Comments

(9) Adjournment

Meeting adjourned at 1:25pm

Next meeting scheduled for April 12th, 2022 (in person only)

Minutes approved by the Board on mm/dd/yyyy.

/s/ Recording Secretary Victoria Tabor



Lakes & Waterways Advisory Board

agenda item

item type	Public Hearings	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Dock Application 2080 Saint George Ave

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[BLDR-2022-0333 2080 Saint George Ave](#)



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS

BLDR-2022-0333

2080 Saint George Ave

- Applicant: Julie Champion
- Contractor: Albert Cichra Builders
- Permitting Agent: Streamline Permitting
- Structure: Dock
- New/Existing: Existing
- Waterbody: Lake Spier


Parameters

Dock Parameter	Proposed	Allowed	Variance Req.?
Total Area (ft ²)	376	600 max	No
Length from OHW (ft)	30	30'	No
Height of Roof (ft above deck)	No Roof	11 max	NA
Height of Deck (ft above OHW)	1.5	2 max	No
Enclosures?	No	80 ft ² max (no plumbing/water allowed)	NA
Side Yard Setback(s) (ft)	10	10 min*	N/A
Meet Vegetation Criteria?	No	50% may be cleared	N/A

Staff Recommendation: **Approval with Planting**
Reviewed by: Joey Cordell

Map View

Basemap



Aerial View




Photos





Survey

CHAMPION BOAT DOCK SITE PLAN
2080 SAINT GEORGE AVENUE
WINTER PARK, FL 32789



Plans





Lakes & Waterways Advisory Board

agenda item

item type	Public Hearings	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Boathouse Application 147 Virginia Drive

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[BLDR-2022-2038 147 Virginia Dr](#)



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS

BLDR-2022-0238

147 Virginia Dr

- Applicant: Scott Bates
- Contractor: Peter Fleck
- Structure: Boathouse
- New/Existing: Existing
- Waterbody: Lake Virginia


Parameters

Dock Parameter	Proposed	Allowed	Variance Req.?
Total Area (ft ²)	390	600 max	No
Length from OHW (ft)	30	30'	No
Height of Roof (ft above deck)	11	11 max	No
Height of Deck (ft above OHW)	2	2 max	No
Enclosures?	No	80 ft ² max (no plumbing/water allowed)	N/A
Side Yard Setback(s) (ft)	10	10 min*	No
Meet Vegetation Criteria?	Yes or No	50% may be cleared	N/A


Staff Recommendation: **Approval with Planting**
Reviewed by: Joey Cordell

Map View

Basemap




Aerial View





Photos





Survey



Plans



Plans





Lakes & Waterways Advisory Board

agenda item

item type	Public Hearings	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Riprap Revetment Application 115 Palmer Ave

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[SAP-2022-0008 115 Palmer Ave](#)



REVETMENT APPLICATIONS

SAP-2022-0008

115 Palmer Ave

- Applicant: Jim Henderson
- Contractor: Albert Cichra Builders
- Permitting Agent: Streamline Permitting
- Structure: Riprap Revetment
- New/Existing: New
- Waterbody: Lake Maitland


Parameters

Parameter	Proposed	Allowed	Variance Req.?
Length (ft)	170'	N/A	N/A
Slope (Horizontal:Vertical)	2:1	3:1 min	No
Material	Natural Stone	N/A	N/A
Existing Erosion Problem (Yes/No)	Yes	Must have existing erosion problem	N/A
Meet Vegetation Criteria?	No	50% may be cleared	N/A

Staff Recommendation: **Approval with Planting**
Reviewed by: Joey Cordell

Map View

Basemap




Aerial View




Photos



Survey



Aerial View




Side View

170' NATURAL STONE RIPRAP REVETMENT INSTALLED IN FRONT OF EXISTING SEAWALL



Darcy Unroe - Unroe Engineering, Inc
Civil Engineering/Planning/Scientific Evaluations
PO Box 690942
Orlando, Florida 32869
Ph (407) 299-0650
Darcy@UnroeEngineering.com



**HENDERSON RIPRAP
CROSS SECTION
115 PALMER AVENUE
WINTER PARK, FL 32789**

THIS STRUCTURE HAS BEEN DESIGNED TO MEET THE
2020 FLORIDA BUILDING CODE, 7TH EDITION AND ASCE
7- 16 AND 2017 NATIONAL ELECTRIC CODE.
1. BASIC WIND SPEED (V_{asd}) = 108 MPH
ULTIMATE WIND SPEED (V_{ult}) = 140 MPH
2. IMPORTANCE FACTOR: $I = 1.0$
3. WIND EXPOSURE = CATEGORY D
4. OPEN STRUCTURE WITH A ZERO PRESSURE COEFFICIENT



Lakes & Waterways Advisory Board

agenda item

item type	Public Hearings	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Riprap Application 1013 Temple Grove - Update

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[LAB 1013 Temple Grove update](#)



Lakes Advisory Board

April 2022



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS



REVETMENT APPLICATIONS

Update SAP-2021-0043

1013 Temple Grove

- Applicant: Renee Gilmore
- Contractor: Pages Landscaping
- Permitting Agent: Dianne Arn
- Structure: Riprap
- New/Existing: New
- Waterbody: Lake Osceola


Parameters

Parameter	Proposed	Allowed	Variance Req.?
Length (ft)	120'	N/A	N/A
Slope (Horizontal:Vertical)	3:1	3:1 min	No
Material	Natural stone	N/A	N/A
Existing Erosion Problem (Yes/No)	Yes (but not over entire length)	Must have existing erosion problem	N/A
Meet Vegetation Criteria?	Yes	50% may be cleared	N/A


Staff Recommendation: **Approval**
Reviewed by: Joey Cordell

Map View


Basemap



Aerial View




Past Photos




Current Photos



Survey



Aerial View



Side View

 Geotech fabric to be installed under rip rap

6"-24" stone will be used in deeper water at base for support.

6"-12" stone will be use on top and run up onto shore around Cyprus knees.


Cyprus knees will not be removed. All stones will be placed around them.

Cross section Rip Rap sea wall

Lake Osceola
NWEH 68.3

Hill/Gray Seven LLC.
1013 Temple Grove St.
Winter Park, FL. 32789
[05-22-30-8606-00-090](tel:05-22-30-8606-00-090)

 NORTH



Timeline

- Invoice inadvertently issued 1/6/2022.
- Fees paid on 1/12/2022.
- System automatically issued permit and notified contractor.
- 1/13/2022 staff realized an error had been made and changed permit status back to “IN REVIEW”.
- Contractor had already printed permit and was operating under assumption it was valid.
- Staff had no way of knowing permit had been printed.
- Citizen called 2 hours before February meeting to inform us work was completed.
- Staff inspected the site on President’s Day and our Urban Forester thought removing riprap would cause more damage than leaving it.
- Contractor agreed to mitigate by increasing shoreline planting.



Lakes & Waterways Advisory Board

agenda item

item type	Public Hearings	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Boathouse Application 1661 Chase Landing

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[BLDR-2021-1989 1661 Chase Landing](#)

ATTACHMENTS:

[Approved Variance - BLDR-2021-1989](#)



LAKE SHORELINE BOATHOUSE/DOCK APPLICATIONS

BLDR-2021-1989

1661 Chase Landing

- Applicant: Ketan Pandya
- Contractor: McNish Outdoor Living
- Structure: Boathouse
- New/Existing: Existing
- Waterbody: Lake Berry


Parameters

Dock Parameter	Proposed	Allowed	Variance Req.?
Total Area (ft ²)	666	600 max	Yes
Length from OHW (ft)	50'	30'	Yes
Height of Roof (ft above deck)	11	11 max	
Height of Deck (ft above OHW)	1	2 max	
Enclosures?	No	80 ft ² max (no plumbing/water allowed)	
Side Yard Setback(s) (ft)	10	10 min*	N/A
Meet Vegetation Criteria?	No	50% or 50ft may be cleared, whichever is less	N/A


Staff Recommendation: **Approval with Planting Plans**
Reviewed by: Joey Cordell

Map View

Basemap




Aerial View




Photos




Survey



Plans




Plans



REAR ELEVATION (VIEW FROM LAKE)
N.T.S.

BEAM SIZE (2 REQ'S)



RSD ROOF SHEATHING DIAGRAM - HIP ROOF

SIDE ELEVATION
N.T.S.



401 South Park Avenue • Winter Park, Florida 32789

407-599-3237 • 407-599-3499 fax
cityofwinterpark.org

Building & Permitting Services

BOARD OF ADJUSTMENTS

October 20, 2021

Ketan Pandya
1661 Chase Landing Way
Winter Park, FL 32789

Emiel R McNish
3501 Chandler Estates Drive
Apopka, FL 32712

Dear Mr. Pandya and Mr. McNish

Your request for variances to allow rebuilding an existing boathouse extending 50 feet into Lake Berry, in lieu of the 30 foot maximum permitted distance into the lake and 751 square feet in lieu of the 600 maximum area permitted, was denied by Board of Adjustments on October 19, 2021.

However, via an amended motion, the Board of Adjustments approved rebuilding the existing boathouse extending 50 feet into Lake Berry, in lieu of the 30 foot maximum permitted distance into the lake and 680 square feet beyond the ordinary high water elevation in lieu of the 600 maximum area permitted.

The subject property described as Parcel ID #30-22-08-9367-00-200 as recorded in the Public Records of Orange County, Florida.

Located at 1661 Chase Landing Way

Zoned: PURD

Please have your contractor bring a copy of this approval notice when applying for the construction permit for this variance.

If I can be of further assistance, please feel free to contact me.

Respectfully,

Renata Minoga
Building and Permitting Manager
407-599-3575

All variance(s) expire in one year from date of approval by the Board of Adjustments. Any extension request must be received and heard prior to the expiration date. Requests to reinstate an expired variance are subject to any changes that have occurred in the Code. Requests to extend or reinstate a variance will require payment of fee and re-publication & re-hearing of the variance request.

YOU HAVE THE RIGHT TO REAPPLY BEFORE THE TYPICAL THREE (3) YEAR WAITING PERIOD, AFTER THE DATE OF THE BOARD'S ACTION ON THE VARIANCE REQUEST.



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Lakes Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Lake Advisory Board Update 2022.5](#)



Lakes and Waterways Advisory Board

May 2022

LAKE UPDATE

- Ft. Maitland Boat Ramp closure on May 2nd. Dinky Dock overflow update.
- Proposed changes to current boat length ordinance.
- Artificial Turf Ordinance
- Treatments:
 - Hydrilla is scheduled for treatment for several lakes including Minnehaha, Sue, and Virginia.
 - Lks Maitland, Nina, Forest, and Virginia were treated.
 - High flows continue to postpone hydrilla treatments at Lk Maitland outfall and into Howell Creek near Waumpi.
- Cabomba was noted to a depth of 12 ft in NW cove of Lk Maitland and in Lk Nina- treated in conjunction with ramp closure for more tranquil water.
- Increasing algae blooms as result of rainfall received & excessive plant material (in private access corridors).
- Lake Sue Hazardous Algal Bloom (HAB) Event and ongoing messaging efforts.
- Department is working on launching a new Lakes Newsletter, email address initiative, and website. Postcard sent to all city homes!
- Watershed Clean-up Efforts
 - SWAT


Aquatic Plants Targeted



Cabomba



Hydrilla/Lk Nina



Filamentous Algae



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Stormwater Management

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Stormwater Update May.pdf](#)

Howell Branch Preserve

Watershed Cleanups



The Sustainability Division has resumed regularly scheduled watershed clean ups.

- Over 60 lbs of trash removed with the help of UCF volunteers!
- The Winter Park SWAT Team removed 260 lbs of trash from deep in the preserve!

CITY OF WINTER PARK - STORMWATER CAPITAL IMPROVEMENT PROJECTS UPDATE 05/03/2022

ACCT #	CIP Title & Description	Original Year Funded	Current Balance	Status/Comments
565200	Drainage Improvements - Recent years of unusually heavy rainfall events have revealed several substandard drainage conditions in various locations throughout the City.	Annually Funded	\$166,063	Several in-house drainage improvements projects to be scheduled for 2021-22, Ward Park ponds construction, Canton at Knowles intersection, and Pinetree Rd and Via Amalfi, Palmer at Old England outfall repair, stormwater outfall dredging at various locations as needed.
				1) <u>Pinetree Rd and Via Amalfi</u> - The City will replace the existing substandard and deteriorated drainage system, as well as add an inlet and curbing. Estimated cost \$50k. Construction is complete, currently finishing restorations and final touches.
				2) <u>Palmer at Old England outfall repair</u> - A video inspection to be scheduled to determine the existing condition of the outfall pipe. Design and construction will be scheduled as needed. Estimated cost \$20k.
				3) <u>Stormwater Outfall Dredging</u> - There is a need to dredge sedimentation accumulated for several years near the Alexander Place and Morse Boulevard stormwater outfalls. Estimated cost \$50k. Dredging to begin early May.
				4) <u>Ward Park ponds construction</u> - Estimated cost \$150k. NE Pond excavation is complete and sodding is nearly complete. The NW Pond to be completed and pipe installed by end of May.
				5) <u>Canton at Knowles intersection</u> - The City will design and construct another stormwater trunk line to relieve the localized flooding which occurs at the intersection during heavy rainfall events. Estimated cost \$200k.
565203	Lk. Bell Weir Outfall Improvements -	2009	\$69,223	Repairs may be required on the Lake Bell outfall weir, will continue to assess the condition in 2022. Currently investigating grouting options.
565221	Seminole County Ditch Piping (along Arbor Park Dr) – Drainage ditch behind the homes along Arbor Park Drive has a shared drainage basin with Seminole County. Funding is provided for the design and construction to pipe the ditch.	2016	\$733,395	The Interlocal Agreement was approved by the City Commission on October 13, 2021 and by the Seminole County Commission on December 14, 2021. Complete the design (including Geotech & Survey) by end of June.
565233	2410 Winter Park Rd. Pond	2020	\$7,352	The pond excavation, construction of the stormwater conveyance and pond outfall systems is complete. Sodding of the pond to be complete by the first week of May.
	TOTALS			
	3023406 ACTIVE STORMWATER CIP's		\$976,032.81	BALANCE TOTAL



Lakes & Waterways Advisory Board

agenda item

item type	Staff Updates	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Winter Park Police

motion / recommendation

background

alternatives / other considerations

fiscal impact



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

The Killarney Cove Raw Data

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

Killarney vs N Lobe

ID Number	Date	Waterbody	Station	Water Depth (meters)	Secchi Depth (meters)	Elevation (ft NGVD)	DO (mg/L)	pH	Turbidity (NTU's)	Chlorophyll a (ug/L)	NOx-N (mg/L)	TN (mg/L)	Total P (mg/L)	E. Coli (mpn)	Fecal Coliform (CFU/100 ml)	Alkalinity (mg/L)	Color (Pt-Co units)
HB70	8/22/2019	Killarney		6.4	3.67		7.9	8.8	0.7	2.8	0.009	0.44	0.007	1	3	54	4
HB70	10/22/2019	Killarney		6.1	2.94		7.6	9.5	1	3.7	0.009	0.45	0.006	1	30	57	2
HB70	5/14/2020	Killarney		5.8	3.42		7.9	8	0.95	2.6	0.009	0.49	0.006	1	6	62	4
HB70	8/13/2020	Killarney		6.1	3.18		7.4	8	0.8	2.6		0.34	0.006	25.9	88	57	4
HB70	11/19/2020	Killarney		5.3	2.65	82.1NAVD88	7.9	8.2	0.9	4		0.52	0.012	1	2	64	6
HB70	12/8/2020	Killarney		7.2	3.3	81.5NAVD88	9	7.1	1	6.4		0.54	0.011	1	4	64	4
HB70	2/11/2021	Killarney		5.6	2.3	81.6	9.7	8.1	1.2	5.6		0.61	0.007	1		68	4
HB70	3/9/2021	Killarney		7	2.11	81.8	8.7	7.9	1.7	6.2		0.67	0.013	1		72	2
HB70	4/13/2021	Killarney		7.1	2.34	81.8	8.2	8	1.5	3.9		0.55	0.007	9.8		69	2
HB70	5/20/2021	Killarney		3.8	2.84	81.55	8	8.1	0.75	3.1		0.67	0.008	1		64	2
HB70	6/8/2021	Killarney		6.1	2.96	81.2	8	7.7	0.75	2.6		0.5	0.006	2		68	4

HB71	8/22/2019	Killarney N lobe		3.9	2.15		6.9	8.6	1.7	8.6	0.009	0.41	0.02	1	3	87	10
HB71	11/14/2019	Killarney N lobe		7.4	3		8.1	8.7	1.2	5.1	0.009	0.46	0.012	2	8	57	2
HB71	2/13/2020	Killarney N lobe		4.3	1.71		11.3	10	5.5	30.3	0.009	0.72	0.017	7.5	7	86	13
HB71	5/14/2020	Killarney N lobe		3.6	1.97		8	8	2	7.2	0.009	0.51	0.019	3	5	79	7
HB71	8/13/2020	Killarney N lobe		4.3	1.92		7.3	7.8	1.3	9.7		0.45	0.017	5.2	23	79	10
HB71	11/19/2020	Killarney N lobe		4.3	2.22		7.1	7.8	1.3	6		0.5	0.026	5.1	14	92	15
HB71	2/11/2021	Killarney N lobe		4.1	3.01		9.8	8.2	1.1	7		0.49	0.016	3.1		89	9



Lakes & Waterways Advisory Board

agenda item

item type	Action Items	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Boat Regulations

motion / recommendation

background

alternatives / other considerations

fiscal impact

ATTACHMENTS:

[Boating Regulations - Action Item](#)

Lakes Patrol

[City of Winter Park \(https://cityofwinterpark.org\)](https://cityofwinterpark.org) > [Departments \(https://cityofwinterpark.org/departments/\)](https://cityofwinterpark.org/departments/) > [Police \(https://cityofwinterpark.org/departments/police/\)](https://cityofwinterpark.org/departments/police/) > [About \(https://cityofwinterpark.org/departments/police/about/\)](https://cityofwinterpark.org/departments/police/about/) > [Department Divisions \(https://cityofwinterpark.org/departments/police/about/department-divisions/\)](https://cityofwinterpark.org/departments/police/about/department-divisions/) > [Operations Division \(https://cityofwinterpark.org/departments/police/about/department-divisions/operations-division/\)](https://cityofwinterpark.org/departments/police/about/department-divisions/operations-division/) > [Special Operations \(https://cityofwinterpark.org/departments/police/about/department-divisions/operations-division/special-operations/\)](https://cityofwinterpark.org/departments/police/about/department-divisions/operations-division/special-operations/) > Lakes Patrol

Beginning Monday, May 2, the Fort Maitland Park public boat ramp will be closed for approximately five months during park improvements. Access further details at [itsmymaitland.com \(https://www.itsmymaitland.com/CivicAlerts.aspx?AID=151\)](https://www.itsmymaitland.com/CivicAlerts.aspx?AID=151).

The Lakes Patrol Unit is an auxiliary unit that was established to promote boating safety and enforce all the boating laws mandated by State statute, City ordinance and Coast Guard regulations within the Winter Park Chain of Lakes. In addition to conducting enforcement, officers assigned to lakes patrol also perform vessel safety inspections, conduct Junior Boatsman and Commercial Vessel Operator’s classes, assist vessels in distress and investigate marine related crashes. The unit currently has two boats and a wave runner assigned.

Common City Boating Regulations

1. The length of any boat to be launched or operated on the Winter Park Chain of Lakes shall be less than 21 feet. No boat exceeding a width of 8 feet shall enter any canal.
2. Winter Park City Ordinance requires that all minors under 18 years of age be licensed by the police department to operate a vessel on the Winter Park Chain of Lakes. In addition to the city license, the State of Florida requires that persons born after September 30, 1980 complete a NASBLA boater education course or competency exam prior to operating a vessel powered by a motor of 10 horsepower or more. The How to Boat Smart course, available at the Winter Park Police Department, meets these requirements and is NASBLA approved. The law requires that persons affected by this legislation have in their possession a boater safety identification card issued by the Department of Environmental Protection and photographic I.D. while operating a vessel.
3. No person under 14 years of age may operate a personal water craft.
4. All vessels operated on the Winter Park Chain of Lakes must be registered in accordance with state law and display the assigned registration decal. All Florida State Laws and United States Coast Guard Regulations pertaining to vessel operation apply and are Strictly enforced on the Winter Park Chain of Lakes.
5. Winter Park City Ordinance requires that the owner of all vessels operated on the Winter Park Chain of Lakes pay a user fee to the city. Annual or day passes may be purchased at City Hall or the Winter Park Library Monday-Friday and at the Winter Park Library Saturday and Sunday.

- 6. Winter Park City Ordinance requires that all vessels participating in water skiing, tubing, or wake-boarding type activities have an observer other than the operator of the vessel on board facing aft. This includes personal watercraft when towing participants engaged in a water sport.
- 7. Winter Park City Ordinance states that wake-boarding and similar activities shall not be allowed on Lake Mizell.

If you have any questions regarding the Lakes Patrol Unit or any of it’s programs, please contact **Sgt. Jeff Marcum** at [407-599-3511 \(tel:407-599-3511\)](tel:407-599-3511) or email at [jmarcum@cityofwinterpark.org \(mailto:jmarcum@cityofwinterpark.org\)](mailto:jmarcum@cityofwinterpark.org).

Special Operations

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/>)

Crossing Guards

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/crossing-guards/>)

K-9 Unit

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/k9-unit/>)

Lakes Patrol

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/lakes-patrol/>)

Parking Enforcement

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/parking-enforcement/>)

Traffic Enforcement

(<https://cityofwinterpark.org/departments/police/about/departments-divisions/operations-division/special-operations/traffic-enforcement/>)

OUR VISION



(<https://cityofwinterpark.org/>)

- 📍 [Winter Park Police Department](#)
[500 North Virginia Avenue](#)
[Winter Park, FL 32789 \(https://goo.gl/maps/EpjLE\)](#)
- ☎ [407-644-1313 \(tel:+1-407-644-1313\)](tel:407-644-1313)

[Accessibility \(https://cityofwinterpark.org/ada/\)](https://cityofwinterpark.org/ada/)

[Contact Us \(https://cityofwinterpark.org/departments/police/contact/\)](https://cityofwinterpark.org/departments/police/contact/)

[Public Records \(https://cityofwinterpark.org/departments/police/contact/public-records/\)](https://cityofwinterpark.org/departments/police/contact/public-records/)

[Privacy Policy & Terms of Use \(https://cityofwinterpark.org/privacy/\)](https://cityofwinterpark.org/privacy/)

[Social Media Policy \(https://cityofwinterpark.org/social-media-policy/\)](https://cityofwinterpark.org/social-media-policy/)



Facebook(<https://www.facebook.com/WinterParkPD>)(<https://twitter.com/WinterParkF>)



Vimeo(<https://vimeo.com/channels/winterparkpd>)



OUTREACH Emergency Alert System (<https://cityofwinterpark.org/media/emergency-incidents/outreach/>)

The City of Winter Park strives to make our online services accessible to everyone. If you require a reasonable accommodation, please access our [Accessibility \(https://cityofwinterpark.org/ada/\)](https://cityofwinterpark.org/ada/) page for more information.



Lakes & Waterways Advisory Board

agenda item

item type	Upcoming Agenda Items	meeting date	May 17, 2022
prepared by	Victoria Tabor	approved by	
board approval			
strategic objective			

subject

Future Agenda Items

motion / recommendation

background

alternatives / other considerations

fiscal impact